

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-----------------------------|----------------|---------------------|---------------------------|--------------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | | <i>Pct</i> |
| s1095: | | | | | | |
| Godecke | --- | 1,200 | 1,100 | 1,000 | Black greasewood | 25 |
| | | | | | Basin big sagebrush | 15 |
| | | | | | Basin wildrye | 15 |
| | | | | | Beardless wildrye | 10 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Shadscale | 5 |
| | | | | | Spiny hopsage | 5 |
| Dangberg | --- | 800 | 700 | 500 | Alkali sacaton | 35 |
| | | | | | Inland saltgrass | 15 |
| | | | | | Black greasewood | 10 |
| | | | | | Basin wildrye | 5 |
| | | | | | Big saltbush | 5 |
| Fetic | --- | 800 | 700 | 500 | Alkali sacaton | 35 |
| | | | | | Inland saltgrass | 15 |
| | | | | | Basin wildrye | 10 |
| | | | | | Black greasewood | 10 |
| | | | | | Big saltbush | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |

Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-----------------------------|----------------|---------------------|---|--|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | | <i>Pct</i> |
| s1095: | | | | | | |
| Updike variant | --- | 1,200 | 1,100 | 1,000 | Black greasewood Basin big sagebrush Basin wildrye Beardless wildrye Shadscale | 25 20 15 10 5 |
| Dangberg | --- | 800 | 700 | 500 | Alkali sacaton Inland saltgrass Black greasewood Basin wildrye Big saltbush | 35 15 10 5 5 |
| Updike | --- | 1,200 | 1,100 | 1,000 | Black greasewood Basin big sagebrush Basin wildrye Beardless wildrye Other perennial forbs Other perennial grasses Other shrubs Shadscale Spiny hopsage | 20 15 15 5 5 5 5 5 5 |
| Brockliss variant | --- | 2,500 | 2,000 | 1,500 | Basin wildrye Basin big sagebrush Nevada bluegrass | 45 15 10 |

Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-----------------------------|----------------|---------------------|---------------------------|--------------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | | <i>Pct</i> |
| s1095: | | | | | | |
| Dangberg | --- | 1,200 | 1,100 | 1,000 | Black greasewood | 25 |
| | | | | | Basin big sagebrush | 20 |
| | | | | | Basin wildrye | 15 |
| | | | | | Beardless wildrye | 10 |
| | | | | | Other shrubs | 10 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Shadscale | 5 |
| | | | | | Spiny hopsage | 5 |
| Dangberg | --- | 800 | 700 | 500 | Alkali sacaton | 35 |
| | | | | | Inland saltgrass | 15 |
| | | | | | Black greasewood | 10 |
| | | | | | Basin wildrye | 5 |
| | | | | | Big saltbush | 5 |
| Updike | --- | 700 | 500 | 300 | Baltic rush | 50 |
| | | | | | Mat muhly | 20 |
| | | | | | Inland saltgrass | 10 |
| | | | | | Silver sagebrush | 10 |
| Fetic | --- | 1,200 | 1,100 | 1,000 | Black greasewood | 25 |
| | | | | | Basin big sagebrush | 20 |
| | | | | | Basin wildrye | 15 |
| | | | | | Other shrubs | 10 |
| | | | | | Beardless wildrye | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |

Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-----------------------------|----------------|---------------------|---------------------------|--------------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Pct</i> | |
| s1095: Updike | --- | 600 | 500 | 300 | Black greasewood | 55 |
| | | | | | Basin wildrye | 10 |
| | | | | | Alkali sacaton | 5 |
| | | | | | Inland saltgrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Shadscale | 5 |