United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]


Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		P
1097:						
Nire		1,300	1,100	800	Needlegrass	2
					Antelope bitterbrush	1
					Basin wildrye	1
					Mountain big sagebrush	1
					Bluegrass	1
					Mountain brome	1
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
Katyblay		1,500	900	600	Needlegrass	3
					Mountain big sagebrush	2
					Other perennial forbs	1
					Other perennial grasses	1
					Other shrubs	1
					Basin wildrye	
					Buckwheat	
					Mountain brome	
					Other annual forbs	
Rockabin		350	250	150	Low sagebrush	3
					Letterman needlegrass	2
					Other perennial forbs	1
					Bottlebrush squirreltail	
					Junegrass	
					Sandberg bluegrass	



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pc
s1097:						
Snopoc		1,500	900	600	Mountain big sagebrush	2
					Western needlegrass	20
					Letterman needlegrass	10
					Other perennial forbs	1(
					Other perennial grasses	10
					Columbia needlegrass	Ę
					Junegrass	Ę
					Other annual forbs	ę
Epvip		900	700	450	Needlegrass	20
					Antelope bitterbrush	1:
					Mountain big sagebrush	1:
					Basin wildrye	1(
					Gooseberry	Ę
					Green Mormon tea	Ę
					Other perennial forbs	ŧ
					Other perennial grasses	Ę
					Other shrubs	Ę
					Squirreltail	ţ
Coutis family		1,000	800	600	Curlleaf mountainmahogany	50
					Basin wildrye	Ę
					Mountain big sagebrush	Ę
					Pine bluegrass	Ę
Hiridge		350	250	150	Low sagebrush	30
-					Letterman needlegrass	25
					Junegrass	Ę
					Sandberg bluegrass	Ę



Map symbol and soil name	Ecological site	Total c	Iry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	·	Lb/ac	Lb/ac	Lb/ac		Pct
s1097:						
Nire		1,300	1,100	800	Needlegrass	20
					Antelope bitterbrush	15
					Basin wildrye	15
					Mountain big sagebrush	15
					Bluegrass	10
					Mountain brome	10
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Kiote		1,500	900	600	Needlegrass	30
					Mountain big sagebrush	25
					Bluegrass	10
					Antelope bitterbrush	5
					Basin wildrye	5
					Mountain brome	5
Nire		1,300	1,100	800	Needlegrass	20
					Antelope bitterbrush	15
					Basin wildrye	15
					Mountain big sagebrush	15
					Bluegrass	10
					Mountain brome	10
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Troutville variant						
Typic Cryorthents						



Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
	·	Lb/ac	Lb/ac	Lb/ac		Pct
s1097:						
Baldy variant		700	500	400	Needlegrass	20
					Silver sagebrush	20
					Mat muhly	10
					Western wheatgrass	5
Fusuvar		1,000	800	600	Curlleaf mountainmahogany	65
					Arrowleaf balsamroot	5
					Basin wildrye	5
					Mountain big sagebrush	5
					Other perennial forbs	5
					Other perennial grasses	5
					Pine bluegrass	5
					Snowberry	5
Hapgood family		1,500	900	600	Needlegrass	40
					Mountain big sagebrush	25
					Basin wildrye	5
					Buckwheat	5
					Mountain brome	5
Merino family		350	250	150	Low sagebrush	30
					Needlegrass	25
					Bluegrass	10



Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s1097:						
Venable family		2,500	1,500	1,000	Tufted hairgrass	30
					Carex	20
					Rush	15
					Nevada bluegrass	10
					Other perennial forbs	10
					Meadow barley	5
					Other perennial grasses	5
					Other shrubs	5

