

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s1430:						
Blacksnag	---	1,200	800	500	---	---
Peeler	---	800	700	600	---	---
Frisco	---	800	700	600	---	---
Horse thief	---	1,000	800	650	---	---
Rubble land	---	---	---	---	---	---
Papasila	Subalpine Loam	3,500	3,000	2,500	Thurber's fescue Letterman's needlegrass Mountain brome Kentucky bluegrass American vetch Geranium Shrubby cinquefoil Slender cinquefoil Western wheatgrass	20 15 15 10 5 5 5 5 5
Flygare	ASPEN WOODLAND	3,500	3,000	2,000	---	---
Needleton	---	1,000	800	600	---	---

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s1430: Runlett	Subalpine Loam	3,000	2,500	1,800	Thurber's fescue American vetch Letterman's needlegrass Mountain brome Elk sedge Kentucky bluegrass Slender cinquefoil Slender wheatgrass Whitestem gooseberry	30 10 10 10 5 5 5 5 5
Storm	---	1,200	800	500	---	---