

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s1792:						
Robana	LOAMY (15-19W)	2,400	2,000	1,400	Idaho fescue	20
					Streambank wheatgrass	15
					Antelope bitterbrush	10
					Big sagebrush	10
					Canby bluegrass	10
					Other perennial forbs	10
					Spike fescue	10
					California brome	5
					Columbia needlegrass	5
					Other perennial grasses	5
Decross	LOAMY (15-19W)	2,400	2,000	1,400	Idaho fescue	20
					Streambank wheatgrass	15
					Antelope bitterbrush	10
					Big sagebrush	10
					Canby bluegrass	10
					Spike fescue	10
					Columbia needlegrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
					<i>Pct</i>	
s1792:						
Buckskin	LOAMY (15-19W)	2,400	2,000	1,400	Bluebunch wheatgrass	30
					Mountain big sagebrush	10
					Other perennial grasses	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Columbia needlegrass	5
					Cutleaf balsamroot	5
					Geranium	5
					Mountain brome	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Other shrubs	5
					Prairie Junegrass	5
					Slender wheatgrass	5
Buckskin	LOAMY (15-19W)	2,400	2,000	1,400	Bluebunch wheatgrass	30
					Mountain big sagebrush	10
					Other perennial grasses	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Columbia needlegrass	5
					Cutleaf balsamroot	5
					Geranium	5
					Mountain brome	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Other shrubs	5
					Prairie Junegrass	5
					Slender wheatgrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s1792:						<i>Pct</i>
Paulson	LOAMY (15-19W)	2,400	2,000	1,400	Idaho fescue	20
					Streambank wheatgrass	15
					Antelope bitterbrush	10
					Big sagebrush	10
					Canby bluegrass	10
					Spike fescue	10
					California brome	5
					Columbia needlegrass	5
Cowdrey	---	---	---	---	---	---
Greyback	LOAMY (15-19W)	2,400	2,000	1,400	Idaho fescue	20
					Streambank wheatgrass	15
					Antelope bitterbrush	10
					Big sagebrush	10
					Canby bluegrass	10
					Other perennial forbs	10
					Spike fescue	10
					California brome	5
					Columbia needlegrass	5
					Other perennial grasses	5
Rooset	LOAMY (15-19W)	2,400	2,000	1,400	Idaho fescue	20
					Streambank wheatgrass	15
					Antelope bitterbrush	10
					Big sagebrush	10
					Canby bluegrass	10
					Spike fescue	10
					California brome	5
					Columbia needlegrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s1792:						
Cryaquepts	---	---	---	---	---	---
Lail	---	---	---	---	---	---
Willow Creek	LOAMY (15-19W)	2,400	2,000	1,400	Idaho fescue	20
					Streambank wheatgrass	15
					Antelope bitterbrush	10
					Big sagebrush	10
					Canby bluegrass	10
					Other perennial forbs	10
					Spike fescue	10
					California brome	5
					Columbia needlegrass	5
					Other perennial grasses	5