
## **United States**

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteristic vegetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1795:						
Hobacker		1,200	950	800	Bluebunch wheatgrass	25
					Columbia needlegrass	10
					Sagebrush	10
					Snowberry	10
					Spike fescue	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Idaho fescue	5
					Thickspike wheatgrass	5
Badgerton variant	SANDY LOAM 16-22 ARTRV/PSSP6 16-22"	1,900	1,400	1,000	Mountain big sagebrush	15
					Other perennial forbs	15
					Other perennial grasses	15
					Antelope bitterbrush	10
					Bluebunch wheatgrass	10
					Other shrubs	10
					Arrowleaf balsamroot	5
					Saskatoon serviceberry	5
					Slender wheatgrass	5
					Threetip sagebrush	5
					Western wheatgrass	5
Xeric Torrifluvents						



## **United States**

Map symbol and soil name	Ecological site	Total	dry-weight produ	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		P
s1795:						
Aquic Cryoborolls		3,500	2,300	1,500	Sedge	1
					Slender wheatgrass	1
					Basin wildrye	1
					Other perennial forbs	1
					Bluebunch wheatgrass	
					Clover	
					Kentucky bluegrass	
					Nevada bluegrass	
					Other perennial grasses	
					Other shrubs	
					Silver sagebrush	
					Streambank wheatgrass	
					Western wheatgrass	
					Willow	
Tetonia	LOAMY 13-16 ARTRV/PSSP6	1,500	1,200	800	Bluebunch wheatgrass	2
					Mountain big sagebrush	1
					Slender wheatgrass	1
					Antelope bitterbrush	
					Arrowleaf balsamroot	
					Idaho fescue	
					Longleaf hawksbeard	
					Needlegrass	
					Nevada bluegrass	
					Other perennial forbs	
					Other perennial grasses	
					Prairie Junegrass	
					Threetip sagebrush	
					Western wheatgrass	



## **United States**

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
-		Lb/ac	Lb/ac	Lb/ac		Pct
s1795:						
Torriorthents						
Rock outcrop						
Typic Cryaquolls		3,500	2,300	1,500	Sedge	15
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		0,000	_,000	1,000	Slender wheatgrass	15
					Basin wildrye	10
					Other perennial forbs	10
					Bluebunch wheatgrass	5
					Clover	5
					Kentucky bluegrass	5
					Nevada bluegrass	5
					Other perennial grasses	5
					Other shrubs	5
					Silver sagebrush	5
					Streambank wheatgrass	5
					Western wheatgrass	5
					Willow	5



## **United States**

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteristic Vegetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1795:						
Robin		3,500	3,000	2,000	Antelope bitterbrush	10
					Mountain big sagebrush	10
					Mountain brome	10
					Other perennial forbs	10
					Quaking aspen	10
					Columbia needlegrass	5
					Green rabbitbrush	5
					Idaho fescue	5
					Lupine	5
					Other perennial grasses	5
					Other shrubs	5
					Saskatoon serviceberry	5
					Sticky geranium	5
					Western snowberry	5
					Woods' rose	5

