United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland |
|--------------------------|-----------------|-----------------------------|----------------|---------------------|---------------------------|-------------|
| | | Favorable year | Normal year | Unfavorable year | Characteristic Vegetation | composition |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s1813: | | | | | | |
| Arimo | | 1,600 | 1,000 | 600 | Bluebunch wheatgrass | 30 |
| | | | | | Wyoming big sagebrush | 20 |
| | | | | | Arrowleaf balsamroot | 10 |
| | | | | | Streambank wheatgrass | 10 |
| | | | | | Nevada bluegrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Prairie Junegrass | 5 |
| | | | | | Sandberg bluegrass | 5 |
| Downey | | 1,100 | 800 | 500 | Bluebunch wheatgrass | 30 |
| · | | | | | Wyoming big sagebrush | 20 |
| | | | | | Arrowleaf balsamroot | 10 |
| | | | | | Thurber needlegrass | 10 |
| | | | | | Nevada bluegrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Prairie Junegrass | 5 |
| | | | | | Sandberg bluegrass | 5 |



United States

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-------------------|-----------------|------------------|---------------------------|-----------------------|
| | Loological olic | Favorable year | Normal year | Unfavorable year | | |
| | • | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s1813: | | | | | | |
| Ririe | | 1,800 | 1,200 | 800 | Bluebunch wheatgrass | 30 |
| | | | | | Other perennial grasses | 15 |
| | | | | | Mountain big sagebrush | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Needlegrass | 5 |
| | | | | | Nevada bluegrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Prairie Junegrass | 5 |
| | | | | | Slender wheatgrass | 5 |
| | | | | | Western wheatgrass | 5 |
| Arbone | | 1,800 | 1,200 | 800 | Bluebunch wheatgrass | 30 |
| | | | | | Other perennial grasses | 20 |
| | | | | | Mountain big sagebrush | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Letterman's needlegrass | 5 |
| | | | | | Lupine | 5 |
| | | | | | Nevada bluegrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Prairie Junegrass | 5 |



United States

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|--------------------------|-----------------|-------------------|-----------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | • | Lb/ac | Lb/ac | Lb/ac | | Po |
| s1813: | | | | | | |
| Hondoho | | 1,800 | 1,200 | 800 | Bluebunch wheatgrass | 30 |
| | | | | | Mountain big sagebrush | 10 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Arrowleaf balsamroot | Ę |
| | | | | | Letterman's needlegrass | 5 |
| | | | | | Lupine | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Prairie Junegrass | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Sedge | 5 |
| | | | | | Wheatgrass | Ę |
| Joevar | | 1,800 | 1,200 | 800 | Bluebunch wheatgrass | 35 |
| | | , | , | | Basin big sagebrush | 15 |
| | | | | | Nevada bluegrass | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Needlegrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Prairie Junegrass | 5 |
| | | | | | Streambank wheatgrass | 5 |



United States

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|--------------------------|-----------------|-------------------|-----------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s1813: | | | | | | |
| Wursten | | 1,600 | 1,000 | 600 | Bluebunch wheatgrass | 30 |
| | | | | | Wyoming big sagebrush | 15 |
| | | | | | Streambank wheatgrass | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Nevada bluegrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Prairie Junegrass | 5 |
| | | | | | Sandberg bluegrass | 5 |
| Watercanyon variant | | 1,100 | 700 | 400 | Bluegrass | 20 |
| | | | | | Wyoming big sagebrush | 20 |
| | | | | | Needle and thread | 10 |
| | | | | | Other perennial forbs | 10 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Black greasewood | 5 |
| | | | | | Bluebunch wheatgrass | 5 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Gray rabbitbrush | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Other shrubs | 5 |

