

# Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s1823:						
Lava flows	---	---	---	---	---	---
McCarey	---	1,800	1,200	800	Bluebunch wheatgrass Mountain big sagebrush Other perennial forbs Other perennial grasses Other shrubs Antelope bitterbrush Arrowleaf balsamroot Nevada bluegrass Prairie Junegrass Slender wheatgrass Western wheatgrass	30 10 10 10 10 5 5 5 5 5 5
Arbone	---	1,800	1,400	700	Bluebunch wheatgrass Mountain big sagebrush Other perennial grasses Antelope bitterbrush Arrowleaf balsamroot Letterman's needlegrass Lupine Nevada bluegrass Prairie Junegrass	30 10 10 5 5 5 5 5 5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s1823:						
McCarey variant	---	1,000	700	400	Bluebunch wheatgrass Mountain big sagebrush Other perennial grasses Arrowleaf balsamroot Bottlebrush squirreltail Longleaf hawksbeard Nevada bluegrass Other perennial forbs Other shrubs Sandberg bluegrass Threetip sagebrush Western wheatgrass	30 15 10 5 5 5 5 5 5 5 5 5
Inkom	---	---	---	---	---	---
Hondoho	---	1,800	1,200	800	Bluebunch wheatgrass Letterman's needlegrass Mountain big sagebrush Antelope bitterbrush Arrowleaf balsamroot Columbia needlegrass Nevada bluegrass Other perennial forbs Other perennial grasses Other shrubs Prairie Junegrass Slender wheatgrass Sticky geranium	30 10 10 5 5 5 5 5 5 5 5 5 5
McDole	---	---	---	---	---	---

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s1823:						
Rubble land	---	---	---	---	---	---
Downata	---	4,500	3,600	3,000	Sedge	25
					Nebraska sedge	20
					Tufted hairgrass	20
					Cinquefoil	5
					Clover	5
					Kentucky bluegrass	5
					Meadow foxtail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Redtop	5
Haploxerolls	STEEP SLOPES 12-16 ARTRV/PSSP6	1,400	1,000	550	Bluebunch wheatgrass	30
					Mountain big sagebrush	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Letterman's needlegrass	5
					Longleaf hawksbeard	5
					Prairie Junegrass	5
					Sandberg bluegrass	5
					Wheatgrass	5
McDole variant	---	---	---	---	---	---

## Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s1823: Portino	---	1,300	800	400	Bluebunch wheatgrass Wyoming big sagebrush Arrowleaf balsamroot Other perennial forbs Sandberg bluegrass Thurber needlegrass Other perennial grasses Other shrubs Threetip sagebrush	25 20 10 10 10 10 5 5 5