Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|-----------------------------|-------------------------|----------------|-----------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | • | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s1830: | | | | | | |
| Wheeler | LOAMY 8-12 ARTRW8/PSSP6 | 1,050 | 700 | 500 | Bluebunch wheatgrass | 20 |
| | | | | | Wyoming big sagebrush | 15 |
| | | | | | Arrowleaf balsamroot | 10 |
| | | | | | Other perennial forbs | 10 |
| | | | | | Thurber needlegrass | 10 |
| | | | | | Western wheatgrass | 10 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Green rabbitbrush | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Threetip sagebrush | 5 |
| Pocatello | LOAMY 8-12 ARTRW8/PSSP6 | 1,300 | 800 | 400 | Bluebunch wheatgrass | 30 |
| | | · | | | Wyoming big sagebrush | 15 |
| | | | | | Arrowleaf balsamroot | 10 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Thurber needlegrass | 10 |
| | | | | | Longleaf hawksbeard | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Threetip sagebrush | 5 |



Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|--------------------------|-------------------------|----------------|-----------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | - | Lb/ac | Lb/ac | Lb/ac | | Pci |
| s1830: | | | | | | |
| Neeley | LOAMY 13-16 ARTRV/PSSP6 | 1,400 | 950 | 600 | Bluebunch wheatgrass | 30 |
| | | | | | Big sagebrush | 10 |
| | | | | | Needlegrass | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Green rabbitbrush | 5 |
| | | | | | Idaho fescue | 5 |
| | | | | | Nevada bluegrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Prairie Junegrass | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Western wheatgrass | 5 |
| Neeley | LOAMY 13-16 ARTRV/PSSP6 | 1,400 | 950 | 600 | Bluebunch wheatgrass | 30 |
| | | | | | Big sagebrush | 10 |
| | | | | | Needlegrass | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Green rabbitbrush | 5 |
| | | | | | Idaho fescue | 5 |
| | | | | | Nevada bluegrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Prairie Junegrass | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Western wheatgrass | 5 |



Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total o | dry-weight prod | luction | Characteristic vegetation | Rangeland |
|--------------------------|-------------------------|----------------|-----------------|---------------------|---------------------------|-------------|
| | | Favorable year | Normal year | Unfavorable year | | composition |
| | 1 | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s1830: | | | | | | |
| Declo | LOAMY 8-12 ARTRW8/PSSP6 | 1,100 | 700 | 500 | Bluebunch wheatgrass | 30 |
| | | | | | Other perennial grasses | 15 |
| | | | | | Thurber needlegrass | 15 |
| | | | | | Wyoming big sagebrush | 15 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Rabbitbrush | 5 |
| | | | | | Sandberg bluegrass | 5 |

