## **United States**

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Sharastonial regulation	composition
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s1842:						
Ririe						
Gunnel	SHALLOW CALCAREOUS LOAM 10-16	600	400	200	Sagebrush	25
<b>G</b> 4e.	ARARN/PSSP6				Bluebunch wheatgrass	20
					Thurber needlegrass	10
					Balsamroot	5
					Bottlebrush squirreltail	5
					Lupine	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
					Rabbitbrush	5
					Sandberg bluegrass	5
Acord	STONY LOAM 13-16 ARTRV/PSSP6 13-16"	1,775	1,200	600	Bluebunch wheatgrass	45
					Other shrubs	19
					Big sagebrush	10
					Antelope bitterbrush	5
					Bluegrass	5
					Indian ricegrass	3
					Other perennial grasses	2



## **United States**

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	onaracionene vegetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1842:						
Taunton	LOAMY 8-12 ARTRW8/PSSP6	1,100	700	300	Bluebunch wheatgrass	30
					Wyoming big sagebrush	20
					Thurber needlegrass	15
					Sandberg bluegrass	10
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Chayson	LOAMY 13-16 ARTRV/PSSP6	1,500	1,000	700	Bluebunch wheatgrass	30
·					Idaho fescue	25
					Mountain big sagebrush	15
					Arrowleaf balsamroot	10
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Rexburg						



## **United States**

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pci
s1842:						
Watercanyon	STEEP SLOPES 12-16 ARTRV/PSSP6	1,300	900	500	Bluebunch wheatgrass	25
					Mountain big sagebrush	15
					Arrowleaf balsamroot	10
					Thurber needlegrass	10
					Antelope bitterbrush	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5
					Streambank wheatgrass	5
					Wyoming big sagebrush	5
Chatburn						
Jimsage	GRAVELLY LOAM 12-16 ARAR8/PSSP6	900	700	500	Bluebunch wheatgrass	30
					Low sagebrush	15
					Arrowleaf balsamroot	5
					Biscuitroot	5
					Bottlebrush squirreltail	5
					Lupine	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
					Rabbitbrush	5
					Sandberg bluegrass	5
					Thurber needlegrass	5



## **United States**

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteristic vegetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pc
s1842:						
Kancan	SHALLOW LOAMY 8-12 ARAR8/PSSP6	900	650	400	Bluebunch wheatgrass	25
					Low sagebrush	15
					Thurber needlegrass	15
					Other perennial grasses	10
					Nevada bluegrass	5
					Other perennial forbs	5
					Other shrubs	5
					Prairie Junegrass	5
					Sandberg bluegrass	5
Searla	SOUTH SLOPE LOAMY 12-16 ARTRV/PSSP6	1,100	900	700	Bluebunch wheatgrass	30
					Mountain big sagebrush	20
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Basin wildrye	5
					Green rabbitbrush	5
					Idaho fescue	5
					Longleaf hawksbeard	5
					Lupine	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
Kovich						

