

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s1849:						
Weeks	---	1,100	700	500	Bluebunch wheatgrass Thurber needlegrass Wyoming big sagebrush Other perennial forbs Green rabbitbrush Sandberg bluegrass	35 20 15 10 5 5
Weeks	---	1,100	700	500	Bluebunch wheatgrass Thurber needlegrass Wyoming big sagebrush Other perennial forbs Green rabbitbrush Sandberg bluegrass	35 20 15 10 5 5
Disautel	---	---	---	---	---	---
Alpowa	LOAMY 12-16 ARTRW8/PSSP6	1,800	1,300	800	Bluebunch wheatgrass Big sagebrush Idaho fescue Antelope bitterbrush Arrowleaf balsamroot Basin wildrye Columbia needlegrass Longleaf hawksbeard Other perennial forbs Other perennial grasses Sandberg bluegrass	30 15 15 5 5 5 5 5 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s1849: Declo	LOAMY 8-12 ARTRW8/PSSP6	1,100	700	500	Bluebunch wheatgrass Other perennial grasses Thurber needlegrass Wyoming big sagebrush Arrowleaf balsamroot Other perennial forbs Other shrubs Rabbitbrush Sandberg bluegrass	30 15 15 15 5 5 5 5 5
McMeen	---	---	---	---	---	---
Mulett	---	900	600	300	Bluebunch wheatgrass Low sagebrush Sagebrush Other perennial forbs Sandberg bluegrass Arrowleaf balsamroot Longleaf hawksbeard Other perennial grasses Thurber needlegrass	30 15 15 10 10 5 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s1849:						<i>Pct</i>
Bedke	LOAMY 12-16 ARTRW8/PSSP6	1,500	1,100	700	Bluebunch wheatgrass	35
					Big sagebrush	15
					Lupine	15
					Thurber needlegrass	15
					Bottlebrush squirreltail	5
					Idaho fescue	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Sandberg bluegrass	5
					Western wheatgrass	5
Drax	---	---	---	---	---	---
Kimama	LOAMY 8-12 ARTRW8/PSSP6	1,000	700	500	Bluebunch wheatgrass	35
					Big sagebrush	20
					Other perennial forbs	10
					Thurber needlegrass	10
					Bottlebrush squirreltail	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5
					Streambank wheatgrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s1849: Neeley	LOAMY 13-16 ARTRV/PSSP6	1,400	950	600	Bluebunch wheatgrass Big sagebrush Needlegrass Antelope bitterbrush Arrowleaf balsamroot Bottlebrush squirreltail Green rabbitbrush Idaho fescue Nevada bluegrass Other perennial forbs Prairie Junegrass Sandberg bluegrass Western wheatgrass	30 10 10 5 5 5 5 5 5 5 5 5 5
Scoon	---	500	350	200	Bluebunch wheatgrass Sandberg bluegrass Big sagebrush Other perennial forbs Other perennial grasses Thurber needlegrass Buckwheat Balsamroot Biscuitroot	65 10 5 5 5 5 3 2 1

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s1849:						<i>Pct</i>
Taunton	---	1,100	700	300	Bluebunch wheatgrass	30
					Wyoming big sagebrush	20
					Thurber needlegrass	15
					Sandberg bluegrass	10
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Mackey	---	900	500	300	Bluebunch wheatgrass	25
					Antelope bitterbrush	10
					Bottlebrush squirreltail	10
					Thurber needlegrass	10
					Wyoming big sagebrush	10
					Arrowleaf balsamroot	5
					Indian ricegrass	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s1849: Pocatello	LOAMY 8-12 ARTRW8/PSSP6	1,300	800	400	Bluebunch wheatgrass Wyoming big sagebrush Arrowleaf balsamroot Other perennial grasses Thurber needlegrass Longleaf hawksbeard Other perennial forbs Other shrubs Sandberg bluegrass Threetip sagebrush	30 15 10 10 10 5 5 5 5 5
Rad	---	900	700	500	Bluebunch wheatgrass Sandberg bluegrass Wyoming big sagebrush Other perennial forbs Thurber needlegrass Arrowleaf balsamroot Basin wildrye Bottlebrush squirreltail Indian ricegrass Rabbitbrush	25 15 15 10 10 5 5 5 5 5