
United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

	o symbol	Ecological site	Total o	dry-weight prod	uction	Characteristic vegetation	Rangeland
and soil name	soli name		Favorable year	Normal year	Unfavorable year		composition
			Lb/ac	Lb/ac	Lb/ac		Pct
s1852:							
Declo		LOAMY 8-12 ARTRW8/PSSP6	1,100	700	500	Bluebunch wheatgrass	30
						Other perennial grasses	15
						Thurber needlegrass	15
						Wyoming big sagebrush	15
						Arrowleaf balsamroot	5
						Other perennial forbs	5
						Other shrubs	5
						Rabbitbrush	5
						Sandberg bluegrass	5
Declo		LOAMY 8-12 ARTRW8/PSSP6	1,100	700	500	Bluebunch wheatgrass	30
						Other perennial grasses	15
						Thurber needlegrass	15
						Wyoming big sagebrush	15
						Arrowleaf balsamroot	5
						Other perennial forbs	5
						Other shrubs	5
						Rabbitbrush	5
						Sandberg bluegrass	5
Buko		LOAMY 8-12 ARTRW8/PSSP6	1,000	700	500	Bluebunch wheatgrass	30
						Big sagebrush	20
						Thurber needlegrass	20
						Other shrubs	10
						Bottlebrush squirreltail	5
						Lupine	5
						Other perennial forbs	5
						Sandberg bluegrass	5

United States

Map symbol	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
and soil name		Favorable year	Normal year	Unfavorable year		composition
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s1852:						
Paulville		1,000	700	500	Bluebunch wheatgrass	40
					Big sagebrush	20
					Other perennial forbs	10
					Thurber needlegrass	10
					Bottlebrush squirreltail	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5
Escalante						
Paniogue	LOAMY 8-12 ARTRW8/PSSP6	1,050	700	500	Bluebunch wheatgrass	30
5					Other perennial grasses	15
					Wyoming big sagebrush	15
					Thurber needlegrass	10
					Bottlebrush squirreltail	5
					Green rabbitbrush	5
					Lupine	5
					Other perennial forbs	5
					Other shrubs	5
					Sandberg bluegrass	5
Wodskow						



United States

Map symbol	Ecological site	Total	dry-weight produ	uction	Characteristic vegetation	Rangeland
and soil name		Favorable year	Normal year	Unfavorable year		composition
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s1852:						
Bram		1,400	1,100	600	Alkali sacaton	20
					Alkali bluegrass	15
					Basin wildrye	15
					Bottlebrush squirreltail	10
					Inland saltgrass	10
					Other perennial forbs	10
					Black greasewood	5
					Fourwing saltbush	5
					Rabbitbrush	5
					Shadscale saltbush	5
					Western wheatgrass	5
Trevino		700	500	250	Bluebunch wheatgrass	25
					Wyoming big sagebrush	25
					Other perennial forbs	10
					Sandberg bluegrass	10
					Thurber needlegrass	10
					Arrowleaf balsamroot	5
					Longleaf hawksbeard	5
					Other perennial grasses	5
					Other shrubs	5
Weeks		1,100	700	500	Bluebunch wheatgrass	35
					Thurber needlegrass	20
					Wyoming big sagebrush	15
					Other perennial forbs	10
					Green rabbitbrush	5
					Sandberg bluegrass	5



United States

Map symbol	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
and soil name		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1852:						
Taunton		1,100	700	300	Bluebunch wheatgrass	30
					Wyoming big sagebrush	20
					Thurber needlegrass	15
					Sandberg bluegrass	10
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5

