United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total o	lry-weight prod	uction	Characteristic vegetation	Rangeland compositior
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		F
1859:						
Neeley	LOAMY 13-16 ARTRV/PSSP6	1,400	950	600	Bluebunch wheatgrass	3
					Big sagebrush	
					Needlegrass	
					Antelope bitterbrush	
					Arrowleaf balsamroot	
					Bottlebrush squirreltail	
					Green rabbitbrush	
					Idaho fescue	
					Nevada bluegrass	
					Other perennial forbs	
					Prairie Junegrass	
					Sandberg bluegrass	
					Western wheatgrass	
Portino	LOAMY 8-12 ARTRW8/PSSP6	1,050	700	500	Bluebunch wheatgrass	
					Thurber needlegrass	
					Arrowleaf balsamroot	
					Big sagebrush	
					Western wheatgrass	
					Bottlebrush squirreltail	
					Green rabbitbrush	
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
					Sandberg bluegrass	
					Threetip sagebrush	



United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
	-	Lb/ac	Lb/ac	Lb/ac		Pct
s1859:						
Portneuf	LOAMY 8-12 ARTRW8/PSSP6	1,200	700	500	Bluebunch wheatgrass	35
					Big sagebrush	25
					Other perennial forbs	10
					Thurber needlegrass	10
					Green rabbitbrush	5
					Prairie Junegrass	5
					Sandberg bluegrass	5
					Threetip sagebrush	5
Rock outcrop						
Trevino		650	550	275	Wyoming big sagebrush	30
					Bluebunch wheatgrass	25
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Low sagebrush	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5



United States

Map symbol and soil name	Ecological site	Total c	dry-weight prod		Characteristic vegetation	Rangeland composition
and soir name		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s1859:						
Portino	LOAMY 8-12 ARTRW8/PSSP6	1,050	700	500	Bluebunch wheatgrass	20
					Thurber needlegrass	15
					Arrowleaf balsamroot	10
					Big sagebrush	10
					Western wheatgrass	10
					Bottlebrush squirreltail	5
					Green rabbitbrush	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5
					Threetip sagebrush	5
Neeley	LOAMY 13-16 ARTRV/PSSP6	1,400	950	600	Bluebunch wheatgrass	30
-					Big sagebrush	10
					Needlegrass	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Green rabbitbrush	5
					Idaho fescue	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Prairie Junegrass	5
					Sandberg bluegrass	5
					Western wheatgrass	5



United States

Map symbol and soil name	Ecological site	Total c	lry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s1859:						
Quincy	SANDY 8-16 ARTRT/PSSP6	800	600	350	Indian ricegrass	25
					Needle and thread	20
					Other perennial forbs	10
					Wyoming big sagebrush	10
					Gray rabbitbrush	5
					Spineless horsebrush	5
					Thurber needlegrass	5
					Antelope bitterbrush	3
					Other perennial grasses	3
					Sandberg bluegrass	3
					Other shrubs	2
					Thickspike wheatgrass	2
Lava flows						
Neeley variant						
Vining	LOAMY 8-12 ARTRW8/PSSP6	1,000	650	500	Bluebunch wheatgrass	20
5		,			Thurber needlegrass	15
					Wyoming big sagebrush	15
					Basin big sagebrush	5
					Bottlebrush squirreltail	5
					Gray rabbitbrush	5
					Indian ricegrass	5
					Needle and thread	5
					Other perennial forbs	5
					Other perennial grasses	5
					Sandberg bluegrass	5
					Thickspike wheatgrass	5
					Threetip sagebrush	5

