## **United States**

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total d	ry-weight produ	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s1863:						
Rock outcrop						
Banbury		650	550	275	Bluebunch wheatgrass	25
•					Wyoming big sagebrush	15
					Sandberg bluegrass	10
					Bottlebrush squirreltail	5
					Green rabbitbrush	5
					Indian ricegrass	5
					Longleaf hawksbeard	5
					Lupine	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Portneuf						
Fathom	<del></del>	950	650	450	Basin big sagebrush	35
					Indian ricegrass	25
					Needle and thread	20
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sand dropseed	5



## **United States**

Map symbol and soil name	Ecological site	Total o	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pc
s1863:						
Kudlac		900	600	300	Thurber needlegrass	25
					Wyoming big sagebrush	25
					Arrowleaf balsamroot	5
					Bluebunch wheatgrass	5
					Bottlebrush squirreltail	5
					Green rabbitbrush	5
					Indian ricegrass	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	Ę
Bahem						
Badlands						
Xerorthents						
Trevino		650	550	275	Wyoming big sagebrush	30
					Bluebunch wheatgrass	25
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Low sagebrush	5
					Other perennial forbs	Ę
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	Ę



## **United States**

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	onaractorione vogetanen	composition
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s1863:						
Sluka		900	600	300	Wyoming big sagebrush	30
					Thurber needlegrass	25
					Other shrubs	10
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Sandberg bluegrass	5
Minveno		650	550	275	Wyoming big sagebrush	30
					Bluebunch wheatgrass	25
					Other perennial forbs	10
					Bottlebrush squirreltail	5
					Low sagebrush	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5



## **United States**

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Po
s1863:						
Kecko		900	600	300	Wyoming big sagebrush	3
					Thurber needlegrass	2
					Arrowleaf balsamroot	
					Bottlebrush squirreltail	
					Green rabbitbrush	
					Indian ricegrass	
					Longleaf hawksbeard	
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
					Sandberg bluegrass	
Paniogue						
Rakane		900	600	300	Wyoming big sagebrush	3
					Thurber needlegrass	2
					Arrowleaf balsamroot	
					Bottlebrush squirreltail	
					Green rabbitbrush	
					Indian ricegrass	
					Longleaf hawksbeard	
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
					Sandberg bluegrass	

