Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland |
|-----------------------------|------------------------|-----------------------------|----------------|------------------|---------------------------|-------------|
| | | Favorable year | Normal year | Unfavorable year | Characteriotic regulation | composition |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s1887: | | | | | | |
| Rock outcrop | | | | | | |
| Grassy Butte | SANDY 8-16 ARTRT/PSSP6 | 1,200 | 1,000 | 500 | Antelope bitterbrush | 10 |
| • | | | | | Big sagebrush | 10 |
| | | | | | Bluebunch wheatgrass | 10 |
| | | | | | Indian ricegrass | 10 |
| | | | | | Needle and thread | 10 |
| | | | | | Sand dropseed | 10 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Nevada bluegrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Streambank wheatgrass | 5 |
| | | | | | Thickspike wheatgrass | 5 |
| | | | | | Western wheatgrass | 5 |
| | | | | | Yellow wildrye | 5 |



Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total o | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|--------------------------|-------------------------|-------------------|-----------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | • | Lb/ac | Lb/ac | Lb/ac | | Pc |
| s1887: | | | | | | |
| Mathon | LOAMY 8-12 ARTRW8/PSSP6 | 1,350 | 900 | 450 | Bluebunch wheatgrass | 30 |
| | | | | | Big sagebrush | 15 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Thurber needlegrass | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Basin wildrye | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Lupine | 5 |
| | | | | | Nevada bluegrass | 5 |
| | | | | | Western wheatgrass | 5 |
| | | | | | Bottlebrush squirreltail | (|
| | | | | | Needle and thread | (|
| | | | | | Prairie Junegrass | (|
| | | | | | Sand dropseed | (|
| Grassy Butte | SANDY 8-16 ARTRT/PSSP6 | 1,000 | 650 | 300 | Big sagebrush | 15 |
| | | | | | Needle and thread | 15 |
| | | | | | Antelope bitterbrush | 10 |
| | | | | | Indian ricegrass | 10 |
| | | | | | Thickspike wheatgrass | 10 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Nevada bluegrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Sand dropseed | 5 |
| | | | | | Western wheatgrass | 5 |
| | | | | | Yellow wildrye | 5 |



Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|-----------------------------|------------------------------|----------------|-----------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s1887: | | | | | | |
| Bondranch | STONY LOAM 8-12 ARTRW8/PSSP6 | 900 | 750 | 400 | Bluebunch wheatgrass | 20 |
| | | | | | Arrowleaf balsamroot | 10 |
| | | | | | Other perennial forbs | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Big sagebrush | 5 |
| | | | | | Longleaf hawksbeard | 5 |
| | | | | | Needle and thread | 5 |
| | | | | | Nevada bluegrass | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Sand dropseed | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Streambank wheatgrass | 5 |
| | | | | | Western wheatgrass | 5 |

