United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total c	lry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		P
1893:						
Furniss		4,000	3,500	3,000	Nebraska sedge	2
					Sedge	2
					Tufted hairgrass	
					Redtop	1
					Rush	
					Kentucky bluegrass	
					Willow	
					Cinquefoil	
					Small camas	
					Shrubby cinquefoil	
					Valerian	
					Dandelion	
Zohner		4,000	3,500	3,000	Nebraska sedge	:
					Sedge	
					Tufted hairgrass	
					Redtop	
					Rush	
					Kentucky bluegrass	
					Willow	
					Other perennial grasses	
					Cinquefoil	
					Other perennial forbs	
					Small camas	
					Shrubby cinquefoil	



Map symbol	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
and soil name		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		P
s1893:						
Foxcreek		4,000	2,250	1,600	Nebraska sedge	2
					Sedge	2
					Tufted hairgrass	,
					Other perennial grasses	1
					Rush	1
					Other perennial forbs	
					Redtop	
					Shrubby cinquefoil	
					Small camas	
					Willow	
Zundell		2,500	2,000	1,500	Sedge	2
					Tufted hairgrass	1
					Streambank wheatgrass	
					Redtop	
					Slender wheatgrass	
					Cinquefoil	
					Kentucky bluegrass	
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
					Rush	
					Trisetum	
					Willow	
					Shrubby cinquefoil	



Map symbol	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
and soil name		Favorable year	Normal year	Unfavorable year		composition
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s1893:						
Tonks		4,000	2,250	1,600	Nebraska sedge	20
					Sedge	20
					Tufted hairgrass	15
					Rush	10
					Kentucky bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Redtop	5
					Shrubby cinquefoil	5
					Small camas	5
					Willow	5
Tepete		4,000	3,600	2,800	Sedge	25
		,		,	Nebraska sedge	20
					Tufted hairgrass	20
					Other perennial grasses	15
					Clover	5
					Other perennial forbs	5
					Shrubby cinquefoil	5
					Willow	5



Map symbol and soil name	Ecological site	Total o	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pa
\$1893:						
Driggs	LOAMY 13-16 ARTRV/PSSP6	1,800	1,500	1,300	Bluebunch wheatgrass	3
					Mountain big sagebrush	1
					Needlegrass	1
					Wheatgrass	1
					Antelope bitterbrush	:
					Arrowleaf balsamroot	:
					Basin big sagebrush	:
					Idaho fescue	:
					Nevada bluegrass	:
					Other perennial forbs	:
					Other perennial grasses	
Zufelt		4,000	2,250	1,600	Nebraska sedge	20
					Sedge	20
					Tufted hairgrass	1:
					Rush	10
					Kentucky bluegrass	:
					Other perennial forbs	:
					Other perennial grasses	:
					Redtop	;
					Shrubby cinquefoil	;
					Small camas	;
					Willow	:



Map symbol	Ecological site	Total o	dry-weight prod	uction	Characteristic vegetation	Rangeland
and soil name		Favorable year	Normal year	Unfavorable year		composition
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s1893:						
Felt	LOAMY 13-16 ARTRV/PSSP6	1,500	1,200	800	Bluebunch wheatgrass	35
					Mountain big sagebrush	10
					Nevada bluegrass	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Basin big sagebrush	5
					Cutleaf balsamroot	5
					Other perennial forbs	5
					Other perennial grasses	5
					Prairie Junegrass	5
					Sandberg bluegrass	5
					Wheatgrass	5
Tetonia						
Zohner variant		4,000	3,500	3,000	Sedge	25
					Nebraska sedge	20
					Tufted hairgrass	20
					Other perennial grasses	15
					Clover	5
					Other perennial forbs	5
					Shrubby cinquefoil	5
					Willow	5

