United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total	dry-weight produ	uction	Characteristic vegetation	Rangelar
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		ŀ
1906:						
McCarey	LOAMY 11-13 ARTRW8/PSSP6	1,500	1,000	600	Bluebunch wheatgrass	
					Wyoming big sagebrush	
					Other shrubs	
					Antelope bitterbrush	
					Arrowleaf balsamroot	
					Lupine	
					Nevada bluegrass	
					Other perennial forbs	
					Other perennial grasses	
					Prairie Junegrass	
					Western wheatgrass	
McBiggam	LOAMY 12-16 ARTRV/FEID	1,600	1,200	900	Idaho fescue	
					Mountain big sagebrush	
					Bluebunch wheatgrass	
					Arrowleaf balsamroot	
					Buckwheat	
					Lupine	
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
					Prairie Junegrass	
					Rabbitbrush	



Map symbol and soil name	Ecological site	Total c	lry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pa
s1906:						
McCarey	LOAMY 12-16 ARTR4/PSSP6	1,500	1,000	600	Bluebunch wheatgrass	25
					Threetip sagebrush	25
					Other shrubs	1(
					Antelope bitterbrush	Ę
					Arrowleaf balsamroot	Ę
					Lupine	Ę
					Nevada bluegrass	Ę
					Other perennial forbs	Ę
					Other perennial grasses	Ę
					Prairie Junegrass	Ę
					Western wheatgrass	Į
Pedleford	LOAMY 12-16 ARTRT/PSSP6	1,100	800	600	Basin big sagebrush	20
					Bluebunch wheatgrass	20
					Basin wildrye	1(
					Sandberg bluegrass	1(
					Bottlebrush squirreltail	Ę
					Green rabbitbrush	Ę
					Lupine	Ę
					Nevada bluegrass	Ę
					Other perennial forbs	Ę
					Other perennial grasses	Ę
					Prairie Junegrass	ę
					Thurber needlegrass	Ę



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1906:						
Deerhorn		1,000	750	600	Bluebunch wheatgrass	35
					Basin big sagebrush	20
					Sandberg bluegrass	10
					Arrowleaf balsamroot	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Molyneux	LOAMY 12-16 ARTR4/FEID	1,050	800	550	Idaho fescue	30
					Threetip sagebrush	20
					Bluebunch wheatgrass	10
					Antelope bitterbrush	5
					Basin big sagebrush	5
					Basin wildrye	5
					Lupine	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Prairie Junegrass	5



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1906:						
Rehfield	SAND 8-12 ARTRT/ACHY-HECOC8	800	650	450	Basin big sagebrush	25
					Needle and thread	20
					Indian ricegrass	15
					Other perennial forbs	10
					Bluebunch wheatgrass	5
					Bottlebrush squirreltail	5
					Gray rabbitbrush	5
					Little larkspur	5
					Sandberg bluegrass	5
					Thurber needlegrass	5
Bancroft	LOAMY 12-16 ARTR4/FEID	1,000	800	550	Idaho fescue	25
					Threetip sagebrush	25
					Bluebunch wheatgrass	10
					Other perennial forbs	10
					Thurber needlegrass	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Other perennial grasses	5
					Western wheatgrass	5
Lava flows						



Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1906:						
Pagari	LOAMY 12-16 ARTRT/PSSP6	800	550	300	Basin big sagebrush	20
					Bluebunch wheatgrass	20
					Basin wildrye	10
					Antelope bitterbrush	5
					Gray rabbitbrush	5
					Indian ricegrass	5
					Lupine	5
					Other perennial forbs	5
					Other perennial grasses	5
					Sandberg bluegrass	5
					Shortspine horsebrush	5
					Thurber needlegrass	5 5
					Western wheatgrass	5
Deerhorn	LOAMY 8-12 ARTRT/PSSP6	1,000	750	600	Bluebunch wheatgrass	35
					Basin big sagebrush	20
					Sandberg bluegrass	10
					Arrowleaf balsamroot	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s1906:						
Wildors	STONY LOAM 10-12 ARTRT/PSSP6	750	500	250	Bluebunch wheatgrass	30
					Basin big sagebrush	20
					Thurber needlegrass	10
					Bottlebrush squirreltail	5
					Gray rabbitbrush	5
					Lupine	5
					Other perennial forbs	5
					Other perennial grasses	5
					Sandberg bluegrass	5
					Spineless horsebrush	5

