United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1917:						
Little Wood						
Balaam						
Little Wood						
Adamson						
Bruneel	SEMIWET MEADOW	4,000	2,250	1,600	Sedge	20
					Slender wheatgrass	15
					Basin wildrye	10
					Other perennial forbs	10
					Tufted hairgrass	10
					Clover	5
					Other perennial grasses	5
					Other shrubs	5
					Rush	5
					Spike trisetum	5
Bringmee						



United States

Map symbol and soil name	Ecological site	Total o	lry-weight prod	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1917:						
Gimlett	GRAVELLY LOAM 12-16 ARTRV/FEID	1,000	750	550	Mountain big sagebrush	30
					Idaho fescue	20
					Other perennial forbs	10
					Other perennial grasses	10
					Other shrubs	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Lupine	5
					Western needlegrass	5
Picabo	SEMIWET MEADOW	2,600	2,100	1,600	Sedge	20
					Other perennial grasses	15
					Tufted hairgrass	15
					Basin wildrye	10
					Other perennial forbs	10
					Cinquefoil	5
					Inland saltgrass	5
					Other perennial grasslikes	5
					Other shrubs	5
					Rocky Mountain iris	5
					Shrubby cinquefoil	5



United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s1917:						
Drage	GRAVELLY LOAM 12-16 ARTRV/FEID	1,050	800	550	Mountain big sagebrush	20
					Bluebunch wheatgrass	15
					Idaho fescue	15
					Other perennial forbs	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Lupine	5
					Needlegrass	5
					Nevada bluegrass	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5
Isknat						
Riverwash						
Carey Lake						



United States

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pc
s1917:						
Hapur	WET MEADOW	4,000	2,800	2,000	Sedge	20
					Nebraska sedge	15
					Tufted hairgrass	15
					Other perennial grasses	10
					Basin wildrye	5
					Cinquefoil	5
					Groundsel	5
					Other perennial forbs	5
					Rush	5
					Shrubby cinquefoil	5
					Silver sagebrush	5
					Willow	5
					Rocky Mountain iris	1
Marshdale	WET MEADOW	4,500	3,600	3,000	Sedge	30
					Nebraska sedge	15
					Tufted hairgrass	15
					Slender wheatgrass	10
					Bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Rush	5
					Willow	5
Molyneux						

