United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteristic vegetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1938:						
Purdam		900	600	300	Wyoming big sagebrush	30
					Thurber needlegrass	25
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Rabbitbrush	5
					Sandberg bluegrass	5
Purdam		900	600	300	Wyoming big sagebrush	30
					Thurber needlegrass	25
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Rabbitbrush	5
					Sandberg bluegrass	5



Map symbol and soil name	Ecological site	Total	dry-weight produ	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1938:						
Sluka		900	600	300	Wyoming big sagebrush	30
					Thurber needlegrass	25
					Other shrubs	10
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Sandberg bluegrass	5
Bahem		900	600	300	Thurber needlegrass	30
					Wyoming big sagebrush	30
					Other shrubs	15
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Rabbitbrush	5
					Sandberg bluegrass	5



Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characterione regulation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1938:						
Rakane		900	600	300	Wyoming big sagebrush	30
					Thurber needlegrass	25
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Green rabbitbrush	5
					Indian ricegrass	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5
Sluka		900	600	300	Wyoming big sagebrush	30
					Thurber needlegrass	25
					Other shrubs	10
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Sandberg bluegrass	5



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
	Loological site	Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1938:						
Blacknest		900	600	300	Wyoming big sagebrush	30
					Thurber needlegrass	25
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Green rabbitbrush	5
					Indian ricegrass	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5
Bluegulch		650	450	300	Wyoming big sagebrush	30
					Thurber needlegrass	25
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Green rabbitbrush	5
					Indian ricegrass	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
	200logical site	Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Po
s1938:						
Kudlac		900	600	300	Thurber needlegrass	2
					Wyoming big sagebrush	2
					Arrowleaf balsamroot	
					Bluebunch wheatgrass	
					Bottlebrush squirreltail	
					Green rabbitbrush	
					Indian ricegrass	
					Longleaf hawksbeard	
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
					Sandberg bluegrass	
Chuska		900	600	300	Wyoming big sagebrush	3
					Thurber needlegrass	2
					Arrowleaf balsamroot	
					Bottlebrush squirreltail	
					Green rabbitbrush	
					Indian ricegrass	
					Longleaf hawksbeard	
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
					Sandberg bluegrass	



Map symbol and soil name	Ecological site	Total dry-weight production Characteri		Characteristic vegetation	Rangeland	
		Favorable year	Normal year	Unfavorable year	onalactorione regoration	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1938:						
Dolman		900	600	300	Thurber needlegrass	25
					Wyoming big sagebrush	20
					Other perennial grasses	10
					Sandberg bluegrass	10
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Green rabbitbrush	5
					Indian ricegrass	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other shrubs	5
Roseworth		900	600	300	Wyoming big sagebrush	30
					Thurber needlegrass	25
					Other perennial grasses	10
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Green rabbitbrush	5
					Indian ricegrass	5
					Other perennial forbs	5
					Other shrubs	5
					Sandberg bluegrass	5

