United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
and soil name		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pc
1948:						
Dawtonia	SOUTH SLOPE GRAVELLY 11-13	800	450	300	Bluebunch wheatgrass	40
	ARTRW8/PSSP6				Wyoming big sagebrush	20
					Other perennial grasses	10
					Indian ricegrass	5
					Other perennial forbs	5
					Other shrubs	5
					Phlox	5
					Salmon wildrye	5
					Sandberg bluegrass	5
Calcids	STEEP LIMESTONE 13-16 CELE3/PSSP6	500	300	200	Bluebunch wheatgrass	40
					Curl-leaf mountain mahogany	10
					Mountain big sagebrush	10
					Sagebrush	10
					Wyoming big sagebrush	10
					Hood's phlox	5
					Needlegrass	5
					Sandberg bluegrass	5
Custco	NORTH SLOPE LOAMY 12-16 ARTR4/FEID	900	600	450	Idaho fescue	40
					Threetip sagebrush	20
					Bluebunch wheatgrass	10
					Arrowleaf balsamroot	5
					Hood's phlox	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5



Map symbol	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
and soil name		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s1948:						
Venum	SOUTH SLOPE GRAVELLY 11-13	700	400	300	Bluebunch wheatgrass	40
	ARTRW8/PSSP6				Wyoming big sagebrush	20
					Other perennial grasses	10
					Other shrubs	10
					Hood's phlox	5
					Indian ricegrass	5
					Other perennial forbs	5
					Sandberg bluegrass	5
Cronks	SOUTH SLOPE GRAVELLY 11-13	650	400	250	Bluebunch wheatgrass	50
	ARTRW8/PSSP6				Wyoming big sagebrush	15
					Other perennial forbs	10
					Salmon wildrye	10
					Indian ricegrass	5
					Other perennial grasses	5
					Other shrubs	5
Dacont	SOUTH SLOPE GRAVELLY 11-13	600	450	250	Bluebunch wheatgrass	55
	ARTRW8/PSSP6				Wyoming big sagebrush	15
					Other perennial forbs	10
					Other perennial grasses	5
					Other shrubs	5
					Salmon wildrye	5
					Western wheatgrass	5




Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pc
s1948:						
Dacont	SOUTH SLOPE GRAVELLY 11-13	600	450	250	Bluebunch wheatgrass	55
	ARTRW8/PSSP6				Wyoming big sagebrush	15
					Other perennial forbs	10
					Other perennial grasses	5
					Other shrubs	5
					Salmon wildrye	5
					Western wheatgrass	5
Rock outcrop						
Rubble land						
Gaciba	SOUTH SLOPE GRAVELLY 11-13	800	450	300	Bluebunch wheatgrass	45
	ARTRW8/PSSP6				Wyoming big sagebrush	20
					Hood's phlox	5
					Indian ricegrass	5
					Needle and thread	5
					Other perennial forbs	5
					Other shrubs	5
					Salmon wildrye	5
					Sandberg bluegrass	5



Map symbol and soil name	Ecological site	Total o	lry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pc
s1948:						
Zeebar	NORTH SLOPE LOAMY 12-16 ARTR4/FEID	1,100	900	600	Idaho fescue	35
					Threetip sagebrush	20
					Bluebunch wheatgrass	10
					Other perennial grasses	10
					Arrowleaf balsamroot	5
					Mountain big sagebrush	5
					Other perennial forbs	5
					Other shrubs	5
					Prairie Junegrass	5
Zer	SALINE LOAMY 8-11 SAVE4/LECI4	1,200	700	400	Black greasewood	35
					Basin wildrye	20
					Basin big sagebrush	5
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Thickspike wheatgrass	5
					Western wheatgrass	5
Challis	NORTH SLOPE LOAMY 12-16 ARTR4/FEID	900	600	450	Idaho fescue	40
					Threetip sagebrush	20
					Bluebunch wheatgrass	5
					Hood's phlox	5
					Longleaf hawksbeard	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5



Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteristic vegetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1948:						
Frailton	SHALLOW FRACTURED SOUTH 8-12	500	350	150	Bluebunch wheatgrass	20
	ARTRW8/PSSP6				Wyoming big sagebrush	20
					Indian ricegrass	10
					Other perennial grasses	10
					Needle and thread	5
					Other perennial forbs	5
					Other shrubs	5
					Phlox	5
					Salmon wildrye	5
					Sandberg bluegrass	5
					Thickspike wheatgrass	5
					Western wheatgrass	5
Klug	NORTH SLOPE LOAMY 12-16 ARTR4/FEID	900	600	450	Idaho fescue	35
_					Threetip sagebrush	20
					Bluebunch wheatgrass	10
					Lupine	5
					Mountain big sagebrush	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Prairie Junegrass	5
					Sandberg bluegrass	5



Map symbol	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
and soil name		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1948:						
Shenon	LOAMY 11-13 ARTRW8/PSSP6	1,000	750	450	Bluebunch wheatgrass	35
					Wyoming big sagebrush	20
					Other perennial grasses	10
					Sandberg bluegrass	10
					Thurber needlegrass	10
					Other perennial forbs	5
					Other shrubs	5
					Phlox	5
Whitecloud	LIMEY GRAVELLY 8-13 ARNO4/PSSP6	700	400	300	Bluebunch wheatgrass	50
					Black sagebrush	25
					Hood's phlox	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5
Mooretown	ALLUVIAL BOTTOM 8-13 ARTRT/PASM	900	500	300	Western wheatgrass	30
					Basin big sagebrush	25
					Other perennial grasses	10
					Other shrubs	10
					Arrowleaf balsamroot	5
					Basin wildrye	5
					Bluebunch wheatgrass	5
					Other perennial forbs	5
					Sandberg bluegrass	5

