United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|-----------------------------|---------------------------------|-------------------|-----------------|---------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | • | Lb/ac | Lb/ac | Lb/ac | | Pc |
| s1952: | | | | | | |
| Bartonflat | GRAVELLY LOAM 8-12 ARTRW8/PSSP6 | 500 | 325 | 250 | Bluebunch wheatgrass | 45 |
| | | | | | Wyoming big sagebrush | 20 |
| | | | | | Other shrubs | 10 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Hood's phlox | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Sandberg bluegrass | 5 |
| Zeelnot | GRAVELLY 13-16 ARTR4/FEID | 800 | 500 | 250 | Idaho fescue | 45 |
| | | | | | Threetip sagebrush | 20 |
| | | | | | Bluebunch wheatgrass | 10 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Sandberg bluegrass | 5 |
| Snowslide | SALINE GRAVELLY 7-9 ATCO/ACHY- | 600 | 350 | 200 | Shadscale saltbush | 30 |
| | HECOC8 | | | | Indian ricegrass | 15 |
| | | | | | Bottlebrush squirreltail | 10 |
| | | | | | Needle and thread | 10 |
| | | | | | Other shrubs | 10 |
| | | | | | Bud sagebrush | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Sand dropseed | 5 |
| | | | | | Sandberg bluegrass | 5 |



| Map symbol | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland |
|---------------|---------------------------------|-----------------------------|----------------|---------------------|---------------------------|-------------|
| and soil name | | Favorable year | Normal year | Unfavorable year | | composition |
| | · | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s1952: | | | | | | |
| Dawtonia | GRAVELLY LOAM 8-12 ARTRW8/PSSP6 | 650 | 400 | 250 | Bluebunch wheatgrass | 40 |
| | | | | | Wyoming big sagebrush | 20 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Phlox | 5 |
| | | | | | Salmon wildrye | 5 |
| | | | | | Sandberg bluegrass | 5 |
| Cowbone | RIVERBOTTOM 10-16 POPUL/PASM | 2,000 | 1,500 | 1,000 | Black cottonwood | 15 |
| | | | | | Western wheatgrass | 15 |
| | | | | | Basin wildrye | 10 |
| | | | | | Other perennial forbs | 10 |
| | | | | | Slimstem reedgrass | 10 |
| | | | | | Willow | 5 |
| | | | | | Woods' rose | 5 |
| Morphey | | | | | | |
| Perreau | LOAMY 8-11 ARTRW8/PSSP6 | 750 | 550 | 300 | Bluebunch wheatgrass | 20 |
| | | | | | Wyoming big sagebrush | 20 |
| | | | | | Indian ricegrass | 8 |
| | | | | | Needle and thread | 7 |
| | | | | | Green rabbitbrush | 5 |
| | | | | | Milkvetch | 5 |
| | | | | | Sand dropseed | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Sandwort | 5 |



| Map symbol | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|---------------|---------------------------------|-------------------|-----------------|---------------------|---------------------------|-----------------------|
| and soil name | | Favorable year | Normal year | Unfavorable year | | |
| | · | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s1952: | | | | | | |
| Fandow | LIMEY GRAVELLY 8-13 ARNO4/PSSP6 | 700 | 400 | 300 | Bluebunch wheatgrass | 40 |
| | | | | | Black sagebrush | 25 |
| | | | | | Other perennial forbs | 10 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Other shrubs | 10 |
| | | | | | Sandberg bluegrass | 5 |
| Mountainboy | SHALLOW LOAM 11-13 ARAR8/PSSP6 | 750 | 400 | 300 | Bluebunch wheatgrass | 40 |
| | | | | | Low sagebrush | 30 |
| | | | | | Hood's phlox | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Prairie Junegrass | 5 |
| Pedoli | LOAMY 8-11 ARTRW8/PSSP6 | 900 | 700 | 300 | Wyoming big sagebrush | 25 |
| | | | | | Bluebunch wheatgrass | 20 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Green rabbitbrush | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Longleaf hawksbeard | 5 |
| | | | | | Milkvetch | 5 |
| | | | | | Needle and thread | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Winterfat | 5 |



| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland |
|-----------------------------|---------------------------------|-----------------------------|----------------|---------------------|---------------------------|-------------|
| | | Favorable year | Normal year | Unfavorable year | Unaraciensiie vegetallUli | composition |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s1952: | | | | | | |
| Windcoat | SHALLOW GRAVELLY LOAM 8-12 | 650 | 350 | 200 | Bluebunch wheatgrass | 30 |
| | ARAR8/PSSP6 | | | | Low sagebrush | 30 |
| | | | | | Other shrubs | 10 |
| | | | | | Hood's phlox | 5 |
| | | | | | Needle and thread | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Wheatgrass | 5 |
| Breitenbach | LOAMY 11-13 ARTRW8/PSSP6 | 900 | 600 | 350 | Bluebunch wheatgrass | 40 |
| | | | | | Wyoming big sagebrush | 20 |
| | | | | | Thurber needlegrass | 10 |
| | | | | | Hood's phlox | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Sandberg bluegrass | 5 |
| Simeroi | GRAVELLY LOAM 8-12 ARTRW8/PSSP6 | 650 | 400 | 250 | Bluebunch wheatgrass | 40 |
| | | | | | Wyoming big sagebrush | 20 |
| | | | | | Hood's phlox | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Needle and thread | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Sandberg bluegrass | 5 |



| Map symbol | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|---------------|--------------------------------|-------------------|-----------------|---------------------|---------------------------|-----------------------|
| and soil name | | Favorable year | Normal year | Unfavorable year | | |
| | • | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s1952: | | | | | | |
| Tohobit | RIVERBOTTOM 10-16 POPUL/PASM | 1,600 | 1,200 | 750 | Western wheatgrass | 15 |
| | | | | | Basin wildrye | 10 |
| | | | | | Other perennial forbs | 10 |
| | | | | | Willow | 10 |
| | | | | | Black cottonwood | 5 |
| | | | | | Bluebunch wheatgrass | 5 |
| | | | | | Nebraska sedge | 5 |
| | | | | | Woods' rose | 5 |
| Zeale | SHALLOW LOAM 11-13 ARAR8/PSSP6 | 750 | 400 | 300 | Bluebunch wheatgrass | 45 |
| | | | | | Low sagebrush | 30 |
| | | | | | Hood's phlox | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Prairie Junegrass | 5 |
| | | | | | Sandberg bluegrass | 5 |

