United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol and soil name | Ecological site | Total o | lry-weight produ | uction | Characteristic vegetation | Rangeland compositior |
|-----------------------------|-----------------|-------------------|------------------|---------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | • | Lb/ac | Lb/ac | Lb/ac | | F |
| 1964: | | | | | | |
| Keman | | 1,800 | 1,200 | 800 | Idaho fescue | |
| | | | | | Mountain big sagebrush | |
| | | | | | Other perennial grasses | |
| | | | | | Other shrubs | |
| | | | | | Antelope bitterbrush | |
| | | | | | Arrowleaf balsamroot | |
| | | | | | Bluebunch wheatgrass | |
| | | | | | Columbia needlegrass | |
| | | | | | Longleaf hawksbeard | |
| | | | | | Other perennial forbs | |
| Rutherford | | 350 | 250 | 150 | Bluebunch wheatgrass | |
| | | | | | Low sagebrush | |
| | | | | | Sandberg bluegrass | |
| | | | | | Bottlebrush squirreltail | |
| | | | | | Buckwheat | |
| | | | | | Idaho fescue | |
| | | | | | Narrowleaf goldenweed | |
| | | | | | Nevada bluegrass | |
| | | | | | Other perennial forbs | |
| | | | | | Other perennial grasses | |
| | | | | | Other shrubs | |
| | | | | | Phlox | |
| | | | | | Sagebrush | |



United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland |
|-----------------------------|-----------------|-----------------------------|----------------|---------------------|---------------------------|-------------|
| | | Favorable year | Normal year | Unfavorable year | | composition |
| | · | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s1964: | | | | | | |
| Dehana | | 1,100 | 800 | 500 | Pinegrass | 25 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Other shrubs | 10 |
| | | | | | Big bluegrass | 5 |
| | | | | | Cinquefoil | 5 |
| | | | | | Columbia needlegrass | 5 |
| | | | | | Common chokecherry | 5 |
| | | | | | Geranium | 5 |
| | | | | | Groundsel | 5 |
| | | | | | Mountain brome | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Quaking aspen | 5 |
| | | | | | Slender wheatgrass | 5 |
| | | | | | Western needlegrass | 5 |
| Kavon | | 4,000 | 3,000 | 2,000 | Snowbrush ceanothus | 75 |
| | | , | -, | , | Other perennial forbs | 10 |
| | | | | | Indian paintbrush | 5 |
| | | | | | Mountain brome | 5 |
| | | | | | Other shrubs | 5 |



United States

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-------------------|-----------------|---------------------|-----------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s1964: | | | | | | |
| Еер | | 1,600 | 1,200 | 900 | Idaho fescue | 25 |
| | | | | | Bluebunch wheatgrass | 20 |
| | | | | | Antelope bitterbrush | 10 |
| | | | | | Mountain big sagebrush | 10 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Lupine | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Sticky geranium | 5 |
| | | | | | Stoneseed | 5 |
| Rock outcrop | | | | | | |
| Hogmalat | | 1,300 | 900 | 600 | Bluegrass | 25 |
| | | | | | Idaho fescue | 15 |
| | | | | | Mountain big sagebrush | 10 |
| | | | | | Other perennial forbs | 10 |
| | | | | | Columbia needlegrass | 5 |
| | | | | | Curl-leaf mountain mahogany | 5 |
| | | | | | Mountain brome | 5 |
| | | | | | Oniongrass | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Rock eriogonum | 5 |
| | | | | | Serviceberry | 5 |
| | | | | | Snowberry | 5 |



United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland |
|-----------------------------|-----------------|-----------------------------|----------------|---------------------|---------------------------|-------------|
| | | Favorable year | Normal year | Unfavorable year | | composition |
| | • | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s1964: | | | | | | |
| Brose | | 950 | 650 | 350 | Idaho fescue | 25 |
| | | | | | Bluebunch wheatgrass | 20 |
| | | | | | Low sagebrush | 20 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Other shrubs | 10 |
| | | | | | Lupine | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Sandberg bluegrass | 5 |
| Mug | | 950 | 650 | 350 | Idaho fescue | 25 |
| - | | | | | Bluebunch wheatgrass | 20 |
| | | | | | Low sagebrush | 20 |
| | | | | | Other perennial forbs | 15 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Sandberg bluegrass | 5 |

