## **United States**

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total d	lry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pci
s1972:						
Gooding						
Marley	LOAMY 11-13 ARTRW8/PSSP6	1,200	800	600	Bluebunch wheatgrass	30
		,			Wyoming big sagebrush	20
					Arrowleaf balsamroot	10
					Bottlebrush squirreltail	5
					Green rabbitbrush	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Sandberg bluegrass	5
					Threetip sagebrush	5
					Thurber needlegrass	5
Kinzie	LOAMY 11-13 ARTRW8/PSSP6	1,200	800	600	Bluebunch wheatgrass	30
					Wyoming big sagebrush	20
					Arrowleaf balsamroot	10
					Bottlebrush squirreltail	5
					Green rabbitbrush	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Sandberg bluegrass	5
					Threetip sagebrush	5
					Thurber needlegrass	5



## **United States**

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteristic regulation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1972:						
Catchell	STONY LOAM 8-12 ARTRW8/PSSP6	1,200	800	400	Bluebunch wheatgrass	30
					Thurber needlegrass	15
					Wyoming big sagebrush	15
					Arrowleaf balsamroot	10
					Sandberg bluegrass	10
					Hood's phlox	5
					Low sagebrush	5
					Other perennial forbs	5
					Other perennial grasses	5
Bailing	CLAYPAN 11-13 ARTR4/PSSP6-ACTH7	800	650	450	Thurber needlegrass	25
					Bluebunch wheatgrass	20
					Threetip sagebrush	20
					Gray rabbitbrush	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5
					Threadstalk milkvetch	5



## **United States**

Map symbol and soil name	Ecological site	Total c	lry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s1972:						
Marley	LOAMY 11-13 ARTRW8/PSSP6	1,200	800	600	Bluebunch wheatgrass	30
					Wyoming big sagebrush	20
					Arrowleaf balsamroot	10
					Bottlebrush squirreltail	5
					Green rabbitbrush	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Sandberg bluegrass	5
					Threetip sagebrush	5
					Thurber needlegrass	5
Power						
Darrah	LOAMY BASIN 11-13 ARTR4/PSSP6	700	500	400	Threetip sagebrush	30
					Bluebunch wheatgrass	25
					Antelope bitterbrush	20
					Basin wildrye	5
					Bottlebrush squirreltail	5
					Other shrubs	5
					Sandberg bluegrass	5
					Thurber needlegrass	5
					Fleabane	3
					Longleaf phlox	2
Chijer						
Elijah						
Lobeisner						



## **United States**

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	5.15.15.15.15.15.15.15.15.15.15.15.15.15	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1972:						
Lava flows						
Nammoth	BOULDERY 11-13 ARTRX/PSSP6	1,100	700	500	Bluebunch wheatgrass	35
					Xeric big sagebrush	15
					Thurber needlegrass	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Basin wildrye	5
					Bottlebrush squirreltail	5
					Longleaf phlox	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Rock outcrop						
Ruckles	SHALLOW STONY LOAM 8-16 ARAR8/PSSP6	450	300	250	Low sagebrush	35
					Bluebunch wheatgrass	20
					Sandberg bluegrass	10
					Antelope bitterbrush	5
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
					Thurber needlegrass	5

