United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total o	lry-weight prod	uction	Characteristic vegetation	Rangelan
		Favorable year	Normal year	Unfavorable year		composition
	•	Lb/ac	Lb/ac	Lb/ac		P
1974:						
Lostvalley		950	600	400	Idaho fescue	2
					Low sagebrush	:
					Bluebunch wheatgrass	
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
					Phlox	
Budlewis		950	650	400	Idaho fescue	
					Low sagebrush	
					Bluebunch wheatgrass	
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
					Phlox	
Sharesnout		1,050	750	500	Idaho fescue	
					Bluebunch wheatgrass	
					Low sagebrush	
					Antelope bitterbrush	
					Longleaf phlox	
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	




Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1974:						
Chayson		1,500	1,000	700	Bluebunch wheatgrass	25
					Idaho fescue	25
					Mountain big sagebrush	15
					Antelope bitterbrush	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Threek		1,500	1,000	700	Bluebunch wheatgrass	25
					Idaho fescue	25
					Mountain big sagebrush	15
					Antelope bitterbrush	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Blackleg		950	600	400	Idaho fescue	20
					Low sagebrush	20
					Bluebunch wheatgrass	15
					Antelope bitterbrush	5
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Po
s1974:						
Heckison		1,100	750	400	Bluebunch wheatgrass	3
					Wyoming big sagebrush	2
					Bottlebrush squirreltail	
					Foxtail wheatgrass	
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
					Phlox	
					Western wheatgrass	
Paynecreek		1,500	1,000	700	Bluebunch wheatgrass	3
-					Idaho fescue	2
					Mountain big sagebrush	1
					Antelope bitterbrush	
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
Thacker		950	600	400	Idaho fescue	3
					Low sagebrush	2
					Bluebunch wheatgrass	2
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
					Phlox	



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s1974:						
Barkley		1,500	1,000	700	Idaho fescue	30
					Bluebunch wheatgrass	20
					Mountain big sagebrush	15
					Antelope bitterbrush	10
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Tanner		1,100	750	400	Bluebunch wheatgrass	45
					Wyoming big sagebrush	25
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Bigflat		1,100	750	400	Bluebunch wheatgrass	35
C C					Wyoming big sagebrush	30
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Western wheatgrass	5
Hatpeak		1,300	900	600	Idaho fescue	30
-					Bluebunch wheatgrass	25
					Basin big sagebrush	20



Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
	·	Lb/ac	Lb/ac	Lb/ac		Pct
s1974:						
Monasterio		1,300	900	600	Bluebunch wheatgrass	30
					Idaho fescue	25
					Wyoming big sagebrush	20
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5

