**United States** 

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol	Ecological site	Total o	lry-weight produ	uction	Characteristic vegetation	Rangeland composition
and soil name		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Po
s1983:						
Buko	SANDY LOAM 8-12 ARTRW8/ACHY	1,000	600	350	Wyoming big sagebrush	3
					Indian ricegrass	2
					Thurber needlegrass	1
					Other perennial forbs	1
					Other shrubs	1
					Bottlebrush squirreltail	
					Sandberg bluegrass	
Royal	SANDY LOAM 8-12 ARTRW8/ACHY	900	600	350	Wyoming big sagebrush	3
					Indian ricegrass	2
					Thurber needlegrass	1
					Bottlebrush squirreltail	
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
					Phlox	
					Sand dropseed	
					Sandberg bluegrass	
					Spiny hopsage	
Xeric Torriorthents	SANDY LOAM 8-12 ARTRW8/ACHY	900	600	350	Wyoming big sagebrush	3
					Indian ricegrass	2
					Thurber needlegrass	1:
					Other perennial forbs	1
					Bottlebrush squirreltail	
					Other perennial grasses	
					Other shrubs	
					Sandberg bluegrass	
					Arrowleaf balsamroot	



Map symbol	Ecological site	Total o	lry-weight produ	uction	Characteristic vegetation	Rangeland composition
and soil name		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pc
s1983:						
Davey	SANDY LOAM 8-12 ARTRW8/ACHY	1,000	600	350	Wyoming big sagebrush	35
					Indian ricegrass	20
					Thurber needlegrass	15
					Other perennial forbs	10
					Other shrubs	10
					Bottlebrush squirreltail	5
					Sandberg bluegrass	5
Power						
Xerollic Camborthids	SANDY LOAM 8-12 ARTRW8/ACHY	1,000	600	350	Wyoming big sagebrush	35
		,			Indian ricegrass	20
					Thurber needlegrass	15
					Other perennial forbs	10
					Other shrubs	10
					Bottlebrush squirreltail	5
					Sandberg bluegrass	5
Royal	SANDY LOAM 8-12 ARTRW8/ACHY	900	600	350	Wyoming big sagebrush	30
					Indian ricegrass	20
					Thurber needlegrass	10
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
					Sand dropseed	5
					Sandberg bluegrass	5
					Spiny hopsage	5



Map symbol and soil name	Ecological site	Total o	lry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pci
s1983:						
Timmerman						
Water						
water						
Cowgil	SANDY LOAM 8-12 ARTRW8/ACHY	1,000	600	350	Wyoming big sagebrush	35
					Indian ricegrass	20
					Thurber needlegrass	15
					Other perennial forbs	10
					Other shrubs	10
					Bluegrass	5
					Bottlebrush squirreltail	5
Lankbush	LOAMY 10-12 ARTRW8/PSSP6	1,100	750	400	Bluebunch wheatgrass	25
					Wyoming big sagebrush	25
					Thurber needlegrass	15
					Other shrubs	10
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Sandberg bluegrass	5
Timmerman	SANDY LOAM 8-12 ARTRW8/ACHY	1,000	600	350	Wyoming big sagebrush	35
					Indian ricegrass	20
					Thurber needlegrass	15
					Other perennial forbs	10
					Other shrubs	10
					Bottlebrush squirreltail	5
					Sandberg bluegrass	5



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s1983:						
Urban land	<del></del>				<del></del>	
Chardoton	LOAMY 7-10 ARTRW8/STTH2	700	500	300	Wyoming big sagebrush	35
					Thurber needlegrass	30
					Other perennial forbs	10
					Bottlebrush squirreltail	5
					Other perennial grasses	5
					Other shrubs	5
					Rabbitbrush	5
					Sandberg bluegrass	5
Chilcott	LOAMY 10-12 ARTRW8/PSSP6	1,100	750	400	Bluebunch wheatgrass	25
					Wyoming big sagebrush	25
					Thurber needlegrass	15
					Other shrubs	10
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Sandberg bluegrass	5
Lanktree	LOAMY 10-12 ARTRW8/PSSP6	1,100	750	400	Bluebunch wheatgrass	25
					Wyoming big sagebrush	25
					Thurber needlegrass	15
					Other shrubs	10
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Sandberg bluegrass	5



Map symbol	Ecological site	Total	dry-weight produ	uction	Characteristic vegetation	Rangeland composition
and soil name		Favorable year	Normal year	Unfavorable year		
	<u> </u>	Lb/ac	Lb/ac	Lb/ac		Pct
s1983:						
Quincy	SAND 8-12 ARTRT/ACHY	950	650	450	Basin big sagebrush	30
					Indian ricegrass	25
					Needle and thread	15
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sand dropseed	5
Truesdale	SANDY LOAM 8-12 ARTRW8/ACHY	1,000	600	350	Wyoming big sagebrush	35
		,			Indian ricegrass	20
					Thurber needlegrass	15
					Other perennial forbs	10
					Other shrubs	10
					Bottlebrush squirreltail	5
					Sandberg bluegrass	5
Kunaton	LOAMY 7-10 ARTRW8/STTH2	700	500	300	Wyoming big sagebrush	35
					Thurber needlegrass	30
					Other perennial forbs	10
					Bottlebrush squirreltail	5
					Other perennial grasses	5
					Other shrubs	5
					Rabbitbrush	5
					Sandberg bluegrass	5



Map symbol	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
and soil name		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1983:						
Minidoka	LOAMY 7-10 ARTRW8/STTH2	700	500	300	Wyoming big sagebrush	35
					Thurber needlegrass	30
					Other perennial forbs	10
					Bottlebrush squirreltail	5
					Other perennial grasses	5
					Other shrubs	5
					Rabbitbrush	5
					Sandberg bluegrass	5
Rock outcrop						

