

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|--------------------------|-----------------|-----------------------------|--------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Pct</i> | |
| s1991: | | | | | | |
| Heckison | --- | 1,100 | 750 | 400 | Bluebunch wheatgrass | 35 |
| | | | | | Wyoming big sagebrush | 25 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Foxtail wheatgrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Phlox | 5 |
| | | | | | Western wheatgrass | 5 |
| Freshwater | --- | 1,100 | 750 | 400 | Bluebunch wheatgrass | 35 |
| | | | | | Wyoming big sagebrush | 20 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Idaho fescue | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Phlox | 5 |
| | | | | | Rabbitbrush | 5 |
| Bigflat | --- | 1,100 | 750 | 400 | Bluebunch wheatgrass | 35 |
| | | | | | Wyoming big sagebrush | 30 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Western wheatgrass | 5 |

Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-----------------------------|----------------|---------------------|--|---|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | | <i>Pct</i> |
| s1991: | | | | | | |
| Larioscamp | --- | 1,100 | 750 | 400 | Bluebunch wheatgrass Wyoming big sagebrush Bottlebrush squirreltail Idaho fescue Other perennial forbs Other perennial grasses Other shrubs Phlox Western wheatgrass | 35 20 5 5 5 5 5 5 5 |
| Tanner | --- | 1,300 | 900 | 600 | Bluebunch wheatgrass Wyoming big sagebrush Antelope bitterbrush Needlegrass Other perennial forbs Other perennial grasses Other shrubs | 45 20 5 5 5 5 5 |
| Brace | --- | 1,100 | 750 | 400 | Bluebunch wheatgrass Wyoming big sagebrush Bottlebrush squirreltail Green rabbitbrush Idaho fescue Other perennial forbs Other perennial grasses Other shrubs Phlox | 35 20 5 5 5 5 5 5 5 |

Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-----------------------------|----------------|---------------------|--|--|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | | <i>Pct</i> |
| s1991: | | | | | | |
| Dishpan | --- | 1,100 | 750 | 400 | Bluebunch wheatgrass Wyoming big sagebrush Bottlebrush squirreltail Other perennial forbs Other perennial grasses Other shrubs Phlox | 35 25 5 5 5 5 5 |
| Insident | --- | 1,100 | 750 | 400 | Bluebunch wheatgrass Wyoming big sagebrush Bottlebrush squirreltail Other perennial forbs Other perennial grasses Other shrubs Phlox Western wheatgrass | 35 30 5 5 5 5 5 5 |
| Roca | --- | 1,100 | 750 | 400 | Bluebunch wheatgrass Wyoming big sagebrush Other perennial forbs Other perennial grasses Other shrubs Phlox | 40 30 5 5 5 5 |