## **United States**

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s1993:						
Blackleg		950	600	400	Idaho fescue	20
					Low sagebrush	20
					Bluebunch wheatgrass	15
					Antelope bitterbrush	5
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Threek		1,500	1,000	700	Bluebunch wheatgrass	25
					Idaho fescue	25
					Mountain big sagebrush	15
					Antelope bitterbrush	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Barkley		1,300	900	600	Basin big sagebrush	25
					Bluebunch wheatgrass	25
					Idaho fescue	25
					Antelope bitterbrush	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5



## **United States**

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pci
s1993:						
Brunzell		1,500	1,000	700	Idaho fescue	30
					Bluebunch wheatgrass	20
					Mountain big sagebrush	15
					Antelope bitterbrush	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Booford		1,500	1,000	700	Idaho fescue	30
					Bluebunch wheatgrass	20
					Mountain big sagebrush	15
					Antelope bitterbrush	10
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Doodlelink		1,800	1,200	800	Idaho fescue	30
					Columbia needlegrass	10
					Mountain big sagebrush	10
					Mountain brome	10
					Whortleleaf snowberry	10
					Antelope bitterbrush	5
					Bluebunch wheatgrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5



## **United States**

Map symbol and soil name	Ecological site	Total d	lry-weight produ	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pc
s1993:						
Northcastle		1,300	900	600	Bluebunch wheatgrass	20
					Idaho fescue	20
					Wyoming big sagebrush	20
					Longleaf hawksbeard	5
					Needlegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Paynecreek		1,300	900	600	Bluebunch wheatgrass	25
·					Wyoming big sagebrush	20
					Idaho fescue	15
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Rabbitbrush	5
Bieber		700	600	500	Low sagebrush	20
Diebei			333	333	Bottlebrush squirreltail	15
					Bastardsage	5
Hatpeak		1,300	900	600	Idaho fescue	30
Пафсак		1,300	300	000	Bluebunch wheatgrass	25
					Basin big sagebrush	20



## **United States**

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Singulation regulation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1993:						
Upcreek		2,000	1,500	1,000	Basin big sagebrush	10
					Common yarrow	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Rocky Mountain iris	5

