United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s1994:						
Wickahoney		800	500	300	Idaho fescue	25
					Alkali sagebrush	20
					Bluebunch wheatgrass	10
					Bottlebrush squirreltail	5
					Low sagebrush	5
					Needlegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Phlox	5
Monasterio		1,500	1,000	700	Idaho fescue	30
		.,000	.,000		Bluebunch wheatgrass	20
					Mountain big sagebrush	15
					Antelope bitterbrush	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Yatahoney		950	600	350	Idaho fescue	30
· atanono,		333	000		Alkali sagebrush	20
					Bluebunch wheatgrass	15
					Longleaf hawksbeard	5
					Needlegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5



Map symbol	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
and soil name		Favorable year	Normal year	Unfavorable year	Characteristic vegetation	composition
•		Lb/ac	Lb/ac	Lb/ac		Pct
994:						
Deunah		950	600	350	Idaho fescue	35
					Alkali sagebrush	25
					Bluebunch wheatgrass	10
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Vagonbox		800	500	300	Idaho fescue	30
-					Alkali sagebrush	20
					Bluebunch wheatgrass	10
					Bottlebrush squirreltail	5
					Needlegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Rubble land						
Squawcreek		950	600	400	Idaho fescue	30
					Low sagebrush	25
					Bluebunch wheatgrass	15
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s1994:						
Lostvalley		950	600	350	Idaho fescue	30
					Alkali sagebrush	25
					Bluebunch wheatgrass	15
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Pachic Argixerolls		1,500	1,000	700	Bluebunch wheatgrass	30
G		·			Idaho fescue	25
					Mountain big sagebrush	15
					Antelope bitterbrush	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Zecanyon		950	600	350	Idaho fescue	30
·					Alkali sagebrush	20
					Bluebunch wheatgrass	15
					Needlegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s1994:						
Fryingpan		950	600	400	Idaho fescue	35
					Low sagebrush	25
					Bluebunch wheatgrass	15
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Fulcrum		1,500	1,000	700	Idaho fescue	30
					Bluebunch wheatgrass	15
					Mountain big sagebrush	15
					Antelope bitterbrush	10
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Hat		1,500	1,000	700	Bluebunch wheatgrass	25
					Idaho fescue	25
					Mountain big sagebrush	15
					Antelope bitterbrush	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5



Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteristic Vegetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s1994:						
Mollic Haploxeralfs		900	600	400	Idaho fescue	25
					Low sagebrush	25
					Bluebunch wheatgrass	20
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Rock outcrop						

