United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s2000:						
Willhill		1,100	750	400	Bluebunch wheatgrass	35
					Wyoming big sagebrush	25
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Dougal		800	550	300	Bluebunch wheatgrass	40
-					Low sagebrush	25
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Cottle		1,100	750	400	Bluebunch wheatgrass	40
					Wyoming big sagebrush	30
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Rock outcrop						



United States

Map symbol and soil name	Ecological site	Total o	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pc
s2000:						
Bruncan		800	550	300	Bluebunch wheatgrass	35
					Low sagebrush	25
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Igert		1,100	750	400	Bluebunch wheatgrass	35
					Wyoming big sagebrush	20
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
					Spiny hopsage	5
Hardtrigger		1,100	750	400	Bluebunch wheatgrass	40
					Wyoming big sagebrush	25
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Snowmore		1,100	750	400	Bluebunch wheatgrass	40
					Wyoming big sagebrush	30
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Spiny hopsage	5



United States

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s2000:						
Xerollic Haplargids		1,100	750	400	Bluebunch wheatgrass	40
					Wyoming big sagebrush	25
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Jumpcreek		1,300	900	600	Bluebunch wheatgrass	45
·					Wyoming big sagebrush	20
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Spineless horsebrush	5
Plush		1,100	700	450	Bluebunch wheatgrass	40
		•			Wyoming big sagebrush	25
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
					Spiny hopsage	5
Rubble land						
Arbidge		1,100	750	400	Bluebunch wheatgrass	35
, u blago		1,100	7.00	100	Wyoming big sagebrush	30
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Other shrubs	



United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	. Characteristic regulation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s2000:						
Bedstead		800	550	300	Bluebunch wheatgrass	40
					Low sagebrush	25
					Idaho fescue	5
					Longleaf phlox	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5

