**United States** 

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteristic vegetation	composition
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s2003:						
Roanhide	SOUTH SLOPE GRAVELLY 12-16	1,100	700	550	Bluebunch wheatgrass	30
	ARTRV/PSSP6				Mountain big sagebrush	20
					Other perennial grasses	15
					Other shrubs	10
					Antelope bitterbrush	5
					Longleaf hawksbeard	5
					Nevada bluegrass	5
					Other perennial forbs	5
Bauscher	NORTH SLOPE LOAMY 16-20 ARTRV/FEID	1,400	1,000	800	Idaho fescue	30
					Other perennial forbs	15
					Other perennial grasses	15
					Bluebunch wheatgrass	10
					Mountain big sagebrush	10
					Arrowleaf balsamroot	5
					Lupine	5
					Other shrubs	5
					Snowberry	5
Schoolhouse	SOUTH SLOPE GRAVELLY 12-16	1,100	700	550	Bluebunch wheatgrass	30
	ARTRV/PSSP6				Mountain big sagebrush	20
					Other perennial grasses	15
					Other shrubs	10
					Antelope bitterbrush	5
					Longleaf hawksbeard	5
					Nevada bluegrass	5
					Other perennial forbs	5



### **United States**

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s2003:						
Simonton	LOAMY 12-16 ARTRV/FEID	1,300	900	700	Bluebunch wheatgrass	25
					Idaho fescue	25
					Mountain big sagebrush	20
					Arrowleaf balsamroot	5
					Lupine	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Bauscher	LOAMY 12-16 ARTRV/FEID	1,200	900	750	Idaho fescue	25
		·			Bluebunch wheatgrass	15
					Mountain big sagebrush	15
					Lupine	10
					Other perennial forbs	10
					Other perennial grasses	10
					Arrowleaf balsamroot	5
					Other shrubs	5
Roanhide	LOAMY 12-16 ARTRV/FEID	1,200	900	750	Idaho fescue	25
		,			Bluebunch wheatgrass	15
					Lupine	10
					Mountain big sagebrush	10
					Other perennial forbs	10
					Other perennial grasses	10
					Arrowleaf balsamroot	5
					Other shrubs	5



### **United States**

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pci
2003:						
Rainey	SOUTH SLOPE GRAVELLY 12-16	1,100	700	550	Bluebunch wheatgrass	30
	ARTRV/PSSP6				Mountain big sagebrush	20
					Other perennial grasses	15
					Other shrubs	10
					Antelope bitterbrush	5
					Longleaf hawksbeard	5
					Nevada bluegrass	5
					Other perennial forbs	5
Gaib	SOUTH SLOPE FRACTURED 12-16	650	500	300	Bluebunch wheatgrass	35
	ARTRV/PSSP6				Mountain big sagebrush	25
					Phlox	10
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Elkcreek	LOAMY 12-16 ARTRV/FEID	1,200	900	750	Idaho fescue	25
					Bluebunch wheatgrass	15
					Mountain big sagebrush	15
					Lupine	10
					Other perennial forbs	10
					Other perennial grasses	10
					Arrowleaf balsamroot	5
					Other shrubs	5



### **United States**

Map symbol	Ecological site	Total o	dry-weight prod	luction	Characteristic vegetation	Rangeland composition
and soil name		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s2003:						
Oland	LOAMY 12-16 ARTRV/PSSP6	1,100	900	750	Bluebunch wheatgrass	25
					Mountain big sagebrush	20
					Other perennial forbs	10
					Other shrubs	10
					Thurber needlegrass	10
					Western needlegrass	10
					Idaho fescue	5
					Lupine	5
Switchback						

