United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s2011:						
Simonton	LOAMY 12-16 ARTRV/FEID	1,300	900	700	Bluebunch wheatgrass	25
					Idaho fescue	25
					Mountain big sagebrush	20
					Arrowleaf balsamroot	5
					Lupine	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Harahill	LOAMY 12-16 ARTRV/FEID	1,200	900	750	Idaho fescue	25
					Bluebunch wheatgrass	15
					Mountain big sagebrush	15
					Lupine	10
					Other perennial forbs	10
					Other perennial grasses	10
					Arrowleaf balsamroot	5
					Other shrubs	5
Bauscher	LOAMY 12-16 ARTRV/FEID	1,200	900	750	Idaho fescue	25
					Bluebunch wheatgrass	15
					Mountain big sagebrush	15
					Lupine	10
					Other perennial forbs	10
					Other perennial grasses	10
					Arrowleaf balsamroot	5
					Other shrubs	5



Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Gridiaciensiic vegetation	composition
	<u> </u>	Lb/ac	Lb/ac	Lb/ac		Pc
s2011:						
Elkcreek	LOAMY 12-16 ARTRV/FEID	1,200	900	750	Idaho fescue	25
					Bluebunch wheatgrass	15
					Mountain big sagebrush	15
					Lupine	10
					Other perennial forbs	10
					Other perennial grasses	10
					Arrowleaf balsamroot	5
					Other shrubs	5
Gaib	SHALLOW STONY LOAM 8-16 ARAR8/PSSP6	400	300	250	Low sagebrush	35
					Bluebunch wheatgrass	20
					Sandberg bluegrass	15
					Arrowleaf balsamroot	5
					Lupine	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Thurber needlegrass	5
Willho	SHALLOW STONY LOAM 8-16 ARAR8/PSSP6	450	300	250	Low sagebrush	35
					Bluebunch wheatgrass	20
					Sandberg bluegrass	15
					Arrowleaf balsamroot	5
					Lupine	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Thurber needlegrass	5



Map symbol	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
and soil name		Favorable year	Normal year	Unfavorable year	Characteristic vegetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pci
s2011:						
Simonton	LOAMY 12-16 ARTRV/FEID	1,300	900	700	Bluebunch wheatgrass	25
					Idaho fescue	25
					Mountain big sagebrush	20
					Arrowleaf balsamroot	5
					Lupine	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Yutrue	SHALLOW STONY LOAM 8-16 ARAR8/PSSP6	650	500	300	Low sagebrush	30
					Bluebunch wheatgrass	25
					Sandberg bluegrass	10
					Bigleaf lupine	5
					Green rabbitbrush	5
					Idaho fescue	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Roanhide	SOUTH SLOPE GRAVELLY 12-16	1,100	700	550	Bluebunch wheatgrass	30
	ARTRV/PSSP6				Mountain big sagebrush	20
					Other perennial grasses	15
					Other shrubs	10
					Antelope bitterbrush	5
					Longleaf hawksbeard	5
					Nevada bluegrass	5
					Other perennial forbs	5



Map symbol and soil name	Ecological site	Total o	lry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Po
s2011:						
Haplaquolls	WET MEADOW	4,500	3,600	3,000	Sedge	25
					Other perennial grasses	20
					Nebraska sedge	1
					Tufted hairgrass	15
					Baltic rush	
					Other perennial forbs	
					Other shrubs	!
					Small camas	
Rock outcrop						
Xerofluvents	SEMIWET MEADOW	4,000	2,250	1,600	Sedge	20
					Slender wheatgrass	20
					Tufted hairgrass	10
					Basin wildrye	;
					Clover	;
					Mountain brome	
					Other perennial forbs	
					Other perennial grasses	!
					Other shrubs	!
					Shrubby cinquefoil	!
					Streambank wheatgrass	!
					Western wheatgrass	;



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
	Ecological Site	Favorable year	Normal year	Unfavorable year		composition
-		Lb/ac	Lb/ac	Lb/ac		Pct
s2011:						
Gaib	SOUTH SLOPE FRACTURED 12-16	650	500	300	Bluebunch wheatgrass	35
	ARTRV/PSSP6				Mountain big sagebrush	25
					Phlox	10
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5

