United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s2017:						
Bauscher	LOAMY 12-16 ARTRV/FEID	1,600	1,100	500	Bluebunch wheatgrass	30
					Antelope bitterbrush	15
					Mountain big sagebrush	10
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Idaho fescue	5
					Oniongrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5
					Thurber needlegrass	5
Roanhide		1,200	900	750	Idaho fescue	25
		•			Bluebunch wheatgrass	15
					Lupine	10
					Mountain big sagebrush	10
					Other perennial forbs	10
					Other perennial grasses	10
					Arrowleaf balsamroot	5
					Other shrubs	5



United States

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pc
s2017:						
Roanhide		1,100	700	550	Bluebunch wheatgrass	30
					Mountain big sagebrush	20
					Other perennial grasses	15
					Other shrubs	10
					Antelope bitterbrush	5
					Longleaf hawksbeard	5
					Nevada bluegrass	5
					Other perennial forbs	5
Brinegar		4,000	2,250	1,600	Sedge	20
					Slender wheatgrass	20
					Other perennial forbs	15
					Tufted hairgrass	10
					Basin wildrye	5
					Mountain brome	5
					Other perennial grasses	5
					Shrubby cinquefoil	5
					Streambank wheatgrass	5
					Western wheatgrass	5
Simonton		1,300	900	700	Bluebunch wheatgrass	25
					Idaho fescue	25
					Mountain big sagebrush	20
					Arrowleaf balsamroot	5
					Lupine	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5



United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteristic vegetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pc
s2017:						
Rands		550	400	300	Alkali sagebrush	25
					Other perennial forbs	15
					Other perennial grasses	15
					Sandberg bluegrass	15
					Idaho fescue	10
					Narrowleaf pussytoes	10
					Bottlebrush squirreltail	5
Strom		4,000	2,500	2,000	Sedge	25
					Basin wildrye	10
					Other perennial forbs	10
					Other perennial grasses	10
					Tufted hairgrass	10
					Wheatgrass	10
					Clover	5
					Other shrubs	5
					Redtop	5
					Rush	5
					Spike trisetum	5
Polecreek		550	400	300	Bluebunch wheatgrass	25
					Low sagebrush	25
					Other perennial forbs	15
					Sandberg bluegrass	10
					Bottlebrush squirreltail	5
					Hood's phlox	5
					Other perennial grasses	5
					Other shrubs	5
					Thurber needlegrass	5



United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	onaracionero regulation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s2017:						
Earcree	NORTH SLOPE LOAMY 16-20 ARTRV/FEID	2,000	1,600	1,200	Idaho fescue	25
					Bluebunch wheatgrass	20
					Arrowleaf balsamroot	10
					Basin big sagebrush	10
					Bluegrass	10
					Antelope bitterbrush	5
					Lupine	5
					Other perennial forbs	5
Brailsford		100	50	25	Field horsetail	35
					Sedge	35
					Silver sagebrush	15
					Other annual forbs	10
					Other perennial grasses	5

