United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland |
|-----------------------------|-----------------|-----------------------------|----------------|------------------|---------------------------|-------------|
| | | Favorable year | Normal year | Unfavorable year | onaractorione vegetation | composition |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s2020: | | | | | | |
| Simonton | | 1,300 | 900 | 700 | Bluebunch wheatgrass | 25 |
| | | | | | Idaho fescue | 25 |
| | | | | | Mountain big sagebrush | 20 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Lupine | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| Brinegar | | 4,000 | 2,250 | 1,600 | Sedge | 20 |
| - | | | | | Slender wheatgrass | 20 |
| | | | | | Other perennial forbs | 15 |
| | | | | | Tufted hairgrass | 10 |
| | | | | | Basin wildrye | 5 |
| | | | | | Mountain brome | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Shrubby cinquefoil | 5 |
| | | | | | Streambank wheatgrass | 5 |
| | | | | | Western wheatgrass | 5 |



United States

| Map symbol and soil name | Ecological site | Total o | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-------------------|-----------------|------------------|---------------------------|--------------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | Lb/ac | Lb/ac | Lb/ac | | Po |
| s2020: | | | | | | |
| Strom | | 4,000 | 2,500 | 2,000 | Sedge | 2 |
| | | | | | Basin wildrye | 1 |
| | | | | | Other perennial forbs | 1 |
| | | | | | Other perennial grasses | 1 |
| | | | | | Tufted hairgrass | 1 |
| | | | | | Wheatgrass | 1 |
| | | | | | Clover | |
| | | | | | Other shrubs | |
| | | | | | Redtop | |
| | | | | | Rush | |
| | | | | | Spike trisetum | |
| Marshdale | | 4,500 | 3,600 | 3,000 | Sedge | 3 |
| | | | | | Nebraska sedge | 1 |
| | | | | | Tufted hairgrass | 1 |
| | | | | | Slender wheatgrass | 1 |
| | | | | | Bluegrass | |
| | | | | | Other perennial forbs | |
| | | | | | Other perennial grasses | |
| | | | | | Other shrubs | |
| | | | | | Rush | |
| | | | | | Willow | |
| Rands | | 550 | 400 | 300 | Alkali sagebrush | 2 |
| | | | | | Other perennial forbs | 1 |
| | | | | | Other perennial grasses | 1 |
| | | | | | Sandberg bluegrass | 1 |
| | | | | | Idaho fescue | 1 |
| | | | | | Narrowleaf pussytoes | 1 |
| | | | | | Bottlebrush squirreltail | |



United States

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|----------------|-----------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s2020: | | | | | | |
| Brinegar | | 4,000 | 2,250 | 1,600 | Sedge | 20 |
| | | | | | Slender wheatgrass | 20 |
| | | | | | Other perennial forbs | 15 |
| | | | | | Tufted hairgrass | 10 |
| | | | | | Basin wildrye | 5 |
| | | | | | Mountain brome | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Shrubby cinquefoil | 5 |
| | | | | | Streambank wheatgrass | 5 |
| | | | | | Western wheatgrass | 5 |
| Riceton | | 1,400 | 1,100 | 700 | Idaho fescue | 30 |
| | | | | | Bluebunch wheatgrass | 20 |
| | | | | | Mountain big sagebrush | 10 |
| | | | | | Thurber needlegrass | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Basin wildrye | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Sandberg bluegrass | 5 |



United States

| Map symbol and soil name | Ecological site | Total o | dry-weight produ | uction | Characteristic vegetation | Rangeland composition |
|--------------------------|------------------------|-------------------|------------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | • | Lb/ac | Lb/ac | Lb/ac | | Pc |
| s2020: | | | | | | |
| Vodermaier | | 1,100 | 900 | 600 | Bluebunch wheatgrass | 35 |
| | | | | | Thurber needlegrass | 15 |
| | | | | | Big sagebrush | 10 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Idaho fescue | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other shrubs | 5 |
| Bauscher | LOAMY 12-16 ARTRV/FEID | 1,600 | 1,100 | 500 | Bluebunch wheatgrass | 30 |
| | | | | | Antelope bitterbrush | 15 |
| | | | | | Mountain big sagebrush | 10 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Idaho fescue | 5 |
| | | | | | Oniongrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Thurber needlegrass | 5 |
| Brailsford | | 100 | 50 | 25 | Field horsetail | 35 |
| | | | | | Sedge | 35 |
| | | | | | Silver sagebrush | 15 |
| | | | | | Other annual forbs | 10 |
| | | | | | Other perennial grasses | 5 |

