Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Rangelar | Characteristic vegetation | Total dry-weight production | | | Ecological site | Map symbol |
|-------------|---------------------------|-----------------------------|----------------|-------------------|-----------------|---------------|
| composition | | Unfavorable year | Normal year | Favorable year | Ecological site | and soil name |
| F | | Lb/ac | Lb/ac | Lb/ac | | |
| | | | | | | : |
| ; | Wyoming big sagebrush | 300 | 500 | 700 | | า |
| ; | Thurber needlegrass | | | | | |
| , | Other perennial forbs | | | | | |
| | Bottlebrush squirreltail | | | | | |
| | Other perennial grasses | | | | | |
| | Other shrubs | | | | | |
| | Rabbitbrush | | | | | |
| | Sandberg bluegrass | | | | | |
| ; | Wyoming big sagebrush | 300 | 500 | 700 | | า |
| ; | Thurber needlegrass | | | | | |
| | Other perennial forbs | | | | | |
| | Bottlebrush squirreltail | | | | | |
| | Other perennial grasses | | | | | |
| | Other shrubs | | | | | |
| | Rabbitbrush | | | | | |
| | Sandberg bluegrass | | | | | |
| ; | Thurber needlegrass | 400 | 650 | 900 | | ery |
| ; | Wyoming big sagebrush | | | | | • |
| | Sandberg bluegrass | | | | | |
| | Arrowleaf balsamroot | | | | | |
| | Bottlebrush squirreltail | | | | | |
| | Other perennial forbs | | | | | |
| | Other perennial grasses | | | | | |
| | Other shrubs | | | | | |
| | Spiny hopsage | | | | | |



Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland |
|-----------------------------|-----------------|-----------------------------|----------------|------------------|---------------------------|-------------|
| | | Favorable year | Normal year | Unfavorable year | Characteristic vegetation | composition |
| | | Lb/ac | Lb/ac | Lb/ac | | Po |
| s2036: | | | | | | |
| Lankbush | | 1,100 | 750 | 400 | Bluebunch wheatgrass | 25 |
| | | | | | Wyoming big sagebrush | 25 |
| | | | | | Thurber needlegrass | 15 |
| | | | | | Other shrubs | 10 |
| | | | | | Arrowleaf balsamroot | Ę |
| | | | | | Bottlebrush squirreltail | Ę |
| | | | | | Other perennial forbs | Ę |
| | | | | | Other perennial grasses | Ę |
| | | | | | Sandberg bluegrass | Ę |
| Lankbush | | 1,100 | 750 | 400 | Bluebunch wheatgrass | 25 |
| | | | | | Wyoming big sagebrush | 25 |
| | | | | | Thurber needlegrass | 15 |
| | | | | | Other shrubs | 10 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Bottlebrush squirreltail | Ę |
| | | | | | Other perennial forbs | Ę |
| | | | | | Other perennial grasses | Ę |
| | | | | | Sandberg bluegrass | Ę |
| Power | | 1,100 | 750 | 400 | Bluebunch wheatgrass | 25 |
| | | | | | Wyoming big sagebrush | 25 |
| | | | | | Thurber needlegrass | 15 |
| | | | | | Other shrubs | 10 |
| | | | | | Arrowleaf balsamroot | Ę |
| | | | | | Bottlebrush squirreltail | Ę |
| | | | | | Other perennial forbs | Ę |
| | | | | | Other perennial grasses | Ę |
| | | | | | Sandberg bluegrass | |



Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland |
|-----------------------------|-----------------|-----------------------------|----------------|------------------|---------------------------|-------------|
| | | Favorable year | Normal year | Unfavorable year | Characteriono regordatori | composition |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s2036: | | | | | | |
| Jenness | | 1,100 | 750 | 400 | Bluebunch wheatgrass | 30 |
| | | | | | Wyoming big sagebrush | 25 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Basin wildrye | 5 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Thurber needlegrass | 5 |
| Lolalita | | 700 | 400 | 250 | Bluebunch wheatgrass | 25 |
| | | | | | Indian ricegrass | 20 |
| | | | | | Wyoming big sagebrush | 15 |
| | | | | | Sandberg bluegrass | 10 |
| | | | | | Thurber needlegrass | 10 |
| | | | | | Lanceleaf yellowbrush | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| Greenleaf | | | | | | |

