United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characterior regulation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s2060:						
Ticanot		700	500	300	Idaho fescue	30
					Bluebunch wheatgrass	10
					Mountain big sagebrush	10
					Other perennial forbs	10
					Other perennial grasses	10
					Other shrubs	10
					Snowberry	10
					Arrowleaf balsamroot	5
					Elk sedge	5
Riggins	SHALLOW SOUTH STONY 12-16	650	400	300	Bluebunch wheatgrass	30
	ARTRX/PSSP6				Big sagebrush	15
					Other perennial grasses	10
					Sandberg bluegrass	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Longleaf hawksbeard	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Other shrubs	5



United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteristic vegetation	composition
	•	Lb/ac	Lb/ac	Lb/ac		Pc
s2060:						
Meland	SOUTH SLOPE LOAMY 16-22 ARTRX/PSSP6	1,500	1,100	800	Bluebunch wheatgrass	30
					Arrowleaf balsamroot	15
					Other perennial forbs	10
					Other perennial grasses	10
					Antelope bitterbrush	5
					Big sagebrush	5
					Bluegrass	5
					Longleaf hawksbeard	5
					Other shrubs	5
Demast						
Bluebell						
Riggins	SHALLOW STONY LOAM 16-22 ARTRX/FEID	1,100	800	500	Bluebunch wheatgrass	20
33		,			Big sagebrush	15
					Idaho fescue	15
					Other perennial forbs	10
					Other perennial grasses	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Longleaf hawksbeard	5
					Nevada bluegrass	5
					Other shrubs	5
					Sandberg bluegrass	5



United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteristic vegetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s2060:						
Demasters	NORTH SLOPE LOAMY 16-22 ARTRV/FEID	2,800	2,300	1,500	Bluebunch wheatgrass	25
					Arrowleaf balsamroot	15
					Idaho fescue	15
					Mountain big sagebrush	10
					Other perennial grasses	10
					Antelope bitterbrush	5
					Common snowberry	5
					Longleaf hawksbeard	5
					Lupine	5
Klicker						
Blackwell	WET MEADOW 22-32 CAREX-DECE	5,000	4,000	3,000	Sedge	25
					Tufted hairgrass	20
					Willow	20
					Other perennial forbs	10
					Other shrubs	10
					Other perennial grasses	5
					Other perennial grasslikes	5
					Redtop	5
Brody						
Ligget						
Rock outcrop						



United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteristic vegetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s2060:						
Rockly	VERY SHALLOW 12-20 ARRI2/POSE	200	125	75	Sandberg bluegrass	40
					Stiff sagebrush	35
					Buckwheat	10
					Bluebunch wheatgrass	5
					Serrate balsamroot	5
Swede						
Culdecole						
Jughandle						
Tamred						

