United States


[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total c	lry-weight prod	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s2073:						
Deshler						
Deshler	LOAMY 12-16 ARTRX/PSSP6	2,000	1,500	1,000	Bluebunch wheatgrass	25
					Basin big sagebrush	15
					Antelope bitterbrush	10
					Arrowleaf balsamroot	10
					Big sagebrush	10
					Idaho fescue	10
					Bastard toadflax	5
					Buckwheat	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Other perennial grasses Other shrubs	5
						5 5
					Prairie Junegrass	5
Brownlee						
Gem	LOAMY 12-16 ARTRX/PSSP6	1,900	1,200	800	Bluebunch wheatgrass	35
					Big sagebrush	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Idaho fescue	5
					Lupine	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5
					Thurber needlegrass	5



United States

Map symbol and soil name	Ecological site	Total o	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s2073:						
Brownlee						
Brownlee	LOAMY 16-22 PUTR2/FEID	2,000	1,400	800	Bluebunch wheatgrass	20
		,	,		Idaho fescue	20
					Antelope bitterbrush	15
					Arrowleaf balsamroot	10
					Bluegrass	10
					Big sagebrush	5
					Longleaf hawksbeard	5
					Needlegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
Midvale						
Reywat	SHALLOW STONY LOAM 12-16	900	600	300	Bluebunch wheatgrass	40
	ARTRX/PSSP6				Big sagebrush	15
					Other perennial forbs	10
					Other perennial grasses	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Longleaf hawksbeard	5
					Sandberg bluegrass	5
					Thurber needlegrass	5



United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Gnaracteristic vegetation	composition
		Lb/ac	Lb/ac	Lb/ac		Po
s2073:						
Cranecreek	LOAMY 12-16 ARTRX/PSSP6	1,900	1,300	800	Bluebunch wheatgrass	35
					Big sagebrush	10
					Idaho fescue	10
					Other perennial forbs	10
					Other perennial grasses	10
					Arrowleaf balsamroot	Ę
					Lupine	Ę
					Nevada bluegrass	Ę
					Other shrubs	ţ
Newell						
Riggins	SHALLOW STONY LOAM 16-22 ARTRX/FEID	1,100	800	500	Bluebunch wheatgrass	20
		,			Big sagebrush	15
					Idaho fescue	15
					Other perennial forbs	10
					Other perennial grasses	10
					Antelope bitterbrush	Ę
					Arrowleaf balsamroot	Ę
					Longleaf hawksbeard	5
					Nevada bluegrass	Į
					Other shrubs	Ę
					Sandberg bluegrass	Ę
Bakeoven	VERY SHALLOW 12-20 ARRI2/POSE	200	125	75	Sandberg bluegrass	35
					Stiff sagebrush	35
					Buckwheat	10
					Other perennial forbs	10
					Bluebunch wheatgrass	Ę
					Phlox	Į



United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characterione regulation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s2073:						
Meland	LOAMY 16-22 PUTR2/FEID	2,000	1,400	800	Bluebunch wheatgrass	20
					Bluegrass	20
					Idaho fescue	20
					Antelope bitterbrush	10
					Arrowleaf balsamroot	10
					Other perennial forbs	10
					Big sagebrush	5
					Other perennial grasses	5
Devnot	VERY SHALLOW 12-20 ARRI2/POSE	200	125	75	Stiff sagebrush	35
					Sandberg bluegrass	25
					Slenderbush eriogonum	10
					Biscuitroot	5
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Phlox	5

