

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|--------------------------|-------------------------------------|-----------------------------|-------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s2080: | | | | | | |
| Riggins | SHALLOW STONY LOAM 16-22 ARTRX/FEID | 1,100 | 800 | 500 | Bluebunch wheatgrass | 20 |
| | | | | | Big sagebrush | 15 |
| | | | | | Idaho fescue | 15 |
| | | | | | Other perennial forbs | 10 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Longleaf hawksbeard | 5 |
| | | | | | Nevada bluegrass | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Sandberg bluegrass | 5 |
| Shoepeg | --- | --- | --- | --- | --- | --- |
| Meland | LOAMY 16-22 PUTR2/FEID | 2,000 | 1,400 | 800 | Bluebunch wheatgrass | 20 |
| | | | | | Bluegrass | 20 |
| | | | | | Idaho fescue | 20 |
| | | | | | Antelope bitterbrush | 10 |
| | | | | | Arrowleaf balsamroot | 10 |
| | | | | | Other perennial forbs | 10 |
| | | | | | Big sagebrush | 5 |
| | | | | | Other perennial grasses | 5 |
| Langrell | --- | --- | --- | --- | --- | --- |
| Catherine | --- | --- | --- | --- | --- | --- |

Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|--------------------------|------------------------------------|-----------------------------|--------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | | |
| s2080: | | | | | | <i>Pct</i> |
| Jackknife | LOAMY 16-22 PUTR2/FEID | 2,000 | 1,400 | 800 | Bluebunch wheatgrass | 20 |
| | | | | | Idaho fescue | 20 |
| | | | | | Antelope bitterbrush | 15 |
| | | | | | Arrowleaf balsamroot | 10 |
| | | | | | Biscuitroot | 5 |
| | | | | | Bluegrass | 5 |
| | | | | | Longleaf hawksbeard | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Penstemon | 5 |
| | | | | | Prairie Junegrass | 5 |
| Brownlee | --- | --- | --- | --- | --- | --- |
| Newell | --- | --- | --- | --- | --- | --- |
| Appledellia | --- | --- | --- | --- | --- | --- |
| Dagor | --- | --- | --- | --- | --- | --- |
| Demasters | NORTH SLOPE LOAMY 16-22 ARTRV/FEID | 2,800 | 2,300 | 1,500 | Bluebunch wheatgrass | 25 |
| | | | | | Arrowleaf balsamroot | 15 |
| | | | | | Idaho fescue | 15 |
| | | | | | Mountain big sagebrush | 10 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Common snowberry | 5 |
| | | | | | Longleaf hawksbeard | 5 |
| | | | | | Lupine | 5 |

Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|--------------------------|--------------------------------------|-----------------------------|--------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | | |
| | | | | | <i>Pct</i> | |
| s2080: | | | | | | |
| Deshler | SOUTH SLOPE LOAMY 12-16 ARTRX/PSSP6 | 1,400 | 900 | 400 | Bluebunch wheatgrass | 30 |
| | | | | | Arrowleaf balsamroot | 10 |
| | | | | | Big sagebrush | 10 |
| | | | | | Bottlebrush squirreltail | 10 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Sandberg bluegrass | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Buckwheat | 5 |
| | | | | | Nevada bluegrass | 5 |
| | | | | | Other shrubs | 5 |
| Glasgow | SOUTH SLOPE LOAMY 10-12 ARTRW8/PSSP6 | 600 | 400 | 250 | Bluebunch wheatgrass | 30 |
| | | | | | Thurber needlegrass | 15 |
| | | | | | Antelope bitterbrush | 10 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Wyoming big sagebrush | 10 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Sandberg bluegrass | 5 |
| Midvale | --- | --- | --- | --- | --- | --- |
| Rockly | VERY SHALLOW 12-20 ARRI2/POSE | 200 | 125 | 75 | Sandberg bluegrass | 40 |
| | | | | | Stiff sagebrush | 35 |
| | | | | | Buckwheat | 10 |
| | | | | | Bluebunch wheatgrass | 5 |
| | | | | | Serrate balsamroot | 5 |