
## United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s2081:						
Appledellia						
Appledellia						
Midvale						
Newell						
Gem	LOAMY 12-16 ARTRX/PSSP6	1,900	1,200	800	Bluebunch wheatgrass	35
					Big sagebrush	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Idaho fescue	5
					Lupine	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5
					Thurber needlegrass	5
Meland	LOAMY 16-22 PUTR2/FEID	2,000	1,400	800	Bluebunch wheatgrass	20
					Bluegrass	20
					Idaho fescue	20
					Antelope bitterbrush	10
					Arrowleaf balsamroot	10
					Other perennial forbs	10
					Big sagebrush	5
					Other perennial grasses	5




United States

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s2081:						
Shoepeg						
Brownlee	LOAMY 16-22 PUTR2/FEID	2,000	1,400	800	Bluebunch wheatgrass	20
2.000		_,	.,		Idaho fescue	20
					Antelope bitterbrush	15
					Arrowleaf balsamroot	10
					Bluegrass	10
					Big sagebrush	5
					Longleaf hawksbeard	5
					Needlegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
Appleshall	VERY SHALLOW 12-20 ARRI2/POSE	200	125	75	Sandberg bluegrass	35
					Stiff sagebrush	35
					Bluebunch wheatgrass	5
					Bottlebrush squirreltail	5
					Hooker's balsamroot	5
					Phlox	5
					Slenderbush eriogonum	5



United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
	÷	Lb/ac	Lb/ac	Lb/ac		Pct
s2081:						
Riggins	SHALLOW STONY LOAM 16-22 ARTRX/FEID	1,100	800	500	Bluebunch wheatgrass	20
					Big sagebrush	15
					Idaho fescue	15
					Other perennial forbs	10
					Other perennial grasses	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Longleaf hawksbeard	5
					Nevada bluegrass	5
					Other shrubs	5
					Sandberg bluegrass	5
Bakeoven	VERY SHALLOW 12-20 ARRI2/POSE	200	125	75	Sandberg bluegrass	35
					Stiff sagebrush	35
					Buckwheat	10
					Other perennial forbs	10
					Bluebunch wheatgrass	5
					Phlox	5
Jacknife	LOAMY 16-22 PUTR2/FEID	2,000	1,400	800	Bluebunch wheatgrass	20
					Idaho fescue	20
					Antelope bitterbrush	15
					Arrowleaf balsamroot	10
					Biscuitroot	5
					Bluegrass	5
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other shrubs	5
					Penstemon	5
					Prairie Junegrass	5



United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s2081:						
Odermott						
Reywat	SHALLOW STONY LOAM 12-16	900	600	300	Bluebunch wheatgrass	40
	ARTRX/PSSP6				Big sagebrush	15
					Other perennial forbs	10
					Other perennial grasses	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Longleaf hawksbeard	5
					Sandberg bluegrass	5
					Thurber needlegrass	5

