Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s2082:						
Blackwell	WET MEADOW 22-32 CAREX-DECE	5,000	4,000	3,000	Sedge	25
					Tufted hairgrass	20
					Willow	20
					Other perennial forbs	10
					Other shrubs	10
					Other perennial grasses	5
					Other perennial grasslikes	5
					Redtop	5
Bluebell						
Swede						
Melton	WET MEADOW 22-32 CAREX-DECE	4,500	4,000	3,000	Nebraska sedge	15
					Sedge	15
					Rush	10
					Tufted hairgrass	10
					Cinquefoil	5
					Kentucky bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other perennial grasslikes	5
					Other shrubs	5
					Redtop	5
					Scouler's willow	5
					Small camas	5
					Valerian	5



Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteristic vogetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s2082:						
Ticanot		700	500	300	Idaho fescue	30
					Bluebunch wheatgrass	10
					Mountain big sagebrush	10
					Other perennial forbs	10
					Other perennial grasses	10
					Other shrubs	10
					Snowberry	10
					Arrowleaf balsamroot	5
					Elk sedge	5
Demast						
Gestrin						
Cabarton	WET MEADOW 22-32 CAREX-DECE	4,000	3,500	3,000	Nebraska sedge	15
		,	-,	-,	Rush	10
					Sedge	10
					Tufted hairgrass	10
					Cinquefoil	5
					Kentucky bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other perennial grasslikes	5
					Other shrubs	5
					Redtop	5
					Shrubby cinquefoil	5
					Small camas	5
					Valerian	5
					Willow	5



Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total o	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s2082:						
Donnel						
Roseberry	WET MEADOW 22-32 CAREX-DECE	4,500	4,000	3,000	Nebraska sedge	15
,		,	,	-,	Sedge	15
					Rush	10
					Tufted hairgrass	10
					Cinquefoil	5
					Kentucky bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Redtop	5
					Scouler's willow	5
					Small camas	5
					Valerian	5
Sudpeak		3,200	2,400	1,500	Idaho fescue	20
					Slender wheatgrass	20
					Bluebunch wheatgrass	15
					Basin wildrye	5
					Longleaf hawksbeard	5
					Lupine	5
					Mountain big sagebrush	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5
					Strawberry	5

