United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

and soil name Ecological site Favorable year year Lb/ac Lb/ac Characteristic vegetation Characteristic vegetation	composition
Lb/ac Lb/ac Lb/ac	
	Pct
s2219:	
Bluecreek 1,300 900 600 Idaho fescue	25
Wyoming big sagebrush	20
Bluebunch wheatgrass	15
Antelope bitterbrush	5
Longleaf hawksbeard	5
Lupine	5
Other perennial forbs	5
Other perennial grasses	5
Other shrubs	5
Northcastle 1,300 900 600 Bluebunch wheatgrass	20
Idaho fescue	20
Wyoming big sagebrush	20
Longleaf hawksbeard	5
Needlegrass	5
Other perennial forbs	5
Other perennial grasses	5
Other shrubs	5
Pixley 950 650 400 Idaho fescue	25
Low sagebrush	25
Bluebunch wheatgrass	20
Other perennial forbs	5
Other perennial grasses	5
Other shrubs	5
Phlox	5



Map symbol and soil name	Ecological site	Total o	lry-weight produ	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s2219:						
Paynecreek		1,300	900	600	Bluebunch wheatgrass	25
					Wyoming big sagebrush	20
					Idaho fescue	15
					Longleaf hawksbeard	5
					Other perennial forbs	5
					Other perennial grasses	5
					Rabbitbrush	5
Barkley		1,500	1,000	700	Idaho fescue	30
•					Bluebunch wheatgrass	20
					Mountain big sagebrush	15
					Antelope bitterbrush	10
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Yatahoney		950	600	350	Idaho fescue	30
•					Alkali sagebrush	20
					Bluebunch wheatgrass	15
					Longleaf hawksbeard	5
					Needlegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s2219:						
Blackleg		950	600	400	Idaho fescue	20
					Low sagebrush	20
					Bluebunch wheatgrass	15
					Antelope bitterbrush	5
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Welch		3,000	2,000	1,500	Rush	10
					Western wheatgrass	10
					Cinquefoil	5
					Clover	5
					Meadow barley	5
Fryingpan		950	600	400	Idaho fescue	35
<i>y</i> 31 -					Alkali sagebrush	20
					Bluebunch wheatgrass	15
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s2219:						
Nicholflat		950	600	400	Low sagebrush	25
					Idaho fescue	20
					Bluebunch wheatgrass	15
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Squawcreek		950	600	400	Idaho fescue	30
·					Low sagebrush	25
					Bluebunch wheatgrass	15
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Upcreek		2,000	1,500	1,000	Basin big sagebrush	10
•		,	•	•	Common yarrow	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Rocky Mountain iris	5



Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	onalisto logotalo.	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s2219:						
Wickahoney		850	600	350	Idaho fescue	35
					Low sagebrush	20
					Bluebunch wheatgrass	10
					Needlegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Phlox	5
Chayson		1,500	1,000	700	Bluebunch wheatgrass	25
·					Idaho fescue	25
					Mountain big sagebrush	15
					Antelope bitterbrush	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5

