

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5405:						
Truckee	---	---	---	---	---	---
Fettic	---	800	700	500	Alkali sacaton Inland saltgrass Black greasewood Basin wildrye	35 15 10 5
Truckee	---	---	---	---	---	---
Idlewild	---	3,000	2,500	2,000	Creeping wildrye Basin wildrye Basin big sagebrush Nevada bluegrass Other perennial grasses Other shrubs	50 20 5 5 5 5
Rose Creek	---	3,000	2,500	2,000	Creeping wildrye Basin wildrye Nevada bluegrass Baltic rush Cinquefoil Other annual forbs Other perennial forbs Other perennial grasses Other shrubs Willow	50 10 10 5 5 5 5 5 5 2
Vamp	---	---	---	---	---	---

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5405:						
Voltaire	---	---	---	---	---	---
Vamp	---	---	---	---	---	---
Cradlebaugh	---	3,000	2,500	2,000	Creeping wildrye Basin wildrye Other shrubs Baltic rush Nevada bluegrass Other perennial grasses	50 15 10 5 5 5
Dithod	---	3,000	2,500	2,000	Creeping wildrye Basin big sagebrush Basin wildrye Western wheatgrass Inland saltgrass Rubber rabbitbrush Slender wheatgrass	30 15 15 10 5 5 5
Truckee	---	---	---	---	---	---
Fleischmann	---	---	---	---	---	---
Sagouspe	---	---	---	---	---	---
Voltaire	---	---	---	---	---	---

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5405:						
Rose Creek	---	3,000	2,500	2,000	Creeping wildrye	50
					Basin wildrye	10
					Nevada bluegrass	10
					Baltic rush	5
					Cinquefoil	5
					Other annual forbs	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Willow	2
Settlemeier	---	2,000	1,500	1,000	Tufted hairgrass	30
					Nevada bluegrass	15
					Alpine timothy	10
					Meadow barley	10
					Other perennial grasses	10
					Cinquefoil	5
					Other perennial forbs	5
					Other shrubs	5
					Willow	5
Voltaire	---	---	---	---	---	---
Idlewild	---	3,000	2,500	2,000	Creeping wildrye	50
					Basin wildrye	10
					Other perennial grasses	10
					Other perennial grasslikes	8
					Other perennial forbs	7
					Other shrubs	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s5405: Jubilee	---	---	---	---	---	---