**United States** 

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total o	lry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s5416:						
Duco						
Cagle						
Indiano		1,000	800	600	Sandberg bluegrass	20
					Wyoming big sagebrush	20
					Thurber needlegrass	15
					Other shrubs	10
					Other perennial forbs	5
					Other perennial grasses	5
Smallcone						
Ister		900	700	600	Thurber needlegrass	20
					Wyoming big sagebrush	15
					Antelope bitterbrush	5
					Basin wildrye	5
					Bottlebrush squirreltail	5
					Sandberg bluegrass	5
					Indian ricegrass	3
Devada		500	400	300	Thurber needlegrass	25
					Low sagebrush	20
					Bluegrass	15
					Bottlebrush squirreltail	10
					Antelope bitterbrush	5
					Douglas rabbitbrush	5
					Littleleaf horsebrush	5



### **United States**

Map symbol and soil name	Ecological site	Total o	lry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pc
s5416:						
Rock outcrop					<del></del>	
Zephan		400	300	200	Low sagebrush	25
·					Thurber needlegrass	25
					Bottlebrush squirreltail	15
					Sandberg bluegrass	10
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Tristan		900	700	600	Thurber needlegrass	20
					Other perennial grasses	15
					Wyoming big sagebrush	15
					Antelope bitterbrush	10
					Basin wildrye	10
					Other perennial forbs	10
					Other shrubs	10
Mizel		200	150	100	Low sagebrush	25
					Bottlebrush squirreltail	10
					Sandberg bluegrass	10
					Desert needlegrass	5
					Douglas rabbitbrush	5
					Thurber needlegrass	2



### **United States**

Map symbol and soil name	Ecological site	Total o	lry-weight produ	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pci
s5416:						
Xman		400	300	200	Thurber needlegrass	25
					Low sagebrush	20
					Bottlebrush squirreltail	15
					Sandberg bluegrass	10
					Littleleaf horsebrush	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Nosrac		1,300	1,100	800	Western needlegrass	25
					Mountain brome	20
					Mountain big sagebrush	15
					Antelope bitterbrush	10
					Basin wildrye	10
					Spike fescue	5
Oppio		500	400	300	Low sagebrush	20
					Thurber needlegrass	20
					Antelope bitterbrush	5
					Bottlebrush squirreltail	5
					Canby bluegrass	5
					Littleleaf horsebrush	5
					Sandberg bluegrass	5
Springmeyer variant		2,500	2,000	1,500	Basin wildrye	40
					Basin big sagebrush	15
					Nevada bluegrass	10
					Rubber rabbitbrush	5
					Western wheatgrass	5



### **United States**

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	- Characterions regulation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s5416:						
Teguro						
Xerta		500	400	300	Low sagebrush	20
					Thurber needlegrass	20
					Canby bluegrass	10
					Antelope bitterbrush	5
					Littleleaf horsebrush	5
					Sandberg bluegrass	5

