

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5438:						
Umil	---	900	700	400	Black sagebrush Indian ricegrass Needleandthread Bluebunch wheatgrass Bud sagebrush Winterfat	25 15 10 5 5 5
Allor	---	800	600	400	Indian ricegrass Wyoming big sagebrush Needleandthread Basin wildrye Bottlebrush squirreltail Pine bluegrass Sandberg bluegrass Thurber needlegrass	20 15 10 5 5 5 5 5
Abgese	---	800	600	400	Wyoming big sagebrush Indian ricegrass Needleandthread Bottlebrush squirreltail Globemallow	30 25 15 5 5
Peeko	---	500	350	250	Black sagebrush Indian ricegrass Thurber needlegrass Bluebunch wheatgrass Bluegrass Bottlebrush squirreltail Globemallow	30 10 10 5 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5438:						
Ursine	---	800	400	250	Black sagebrush Indian ricegrass Needleandthread Basin wildrye Bluebunch wheatgrass Bud sagebrush Small rabbitbrush Winterfat	25 10 10 5 5 5 5 5
Brock	---	800	600	400	Thurber needlegrass Wyoming big sagebrush Bluebunch wheatgrass Bottlebrush squirreltail Downy rabbitbrush Sandberg bluegrass	30 20 10 5 5 5
Dera	---	400	200	100	Shadscale Bud sagebrush Indian ricegrass Needleandthread Winterfat Bottlebrush squirreltail Ephedra Fourwing saltbush Galleta	35 10 10 10 10 5 5 5 5
Lien	---	---	---	---	---	---

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5438:						
Lien	---	800	400	250	Black sagebrush Indian ricegrass Needleandthread Bluebunch wheatgrass Sandberg bluegrass Winterfat	25 15 10 5 5 5
Noyer	---	800	550	300	Winterfat Indian ricegrass Bottlebrush squirreltail	45 20 5
Armespan	---	700	400	200	Black sagebrush Galleta Indian ricegrass Bud sagebrush Nevada ephedra Winterfat Bottlebrush squirreltail Needlegrass	25 10 10 5 5 5 2 1
Belmill	---	900	700	450	Bluebunch wheatgrass Mountain big sagebrush Thurber needlegrass Antelope bitterbrush Basin wildrye Crag aster Tapertip hawksbeard	30 20 20 10 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s5438: Wiffo	---	800	600	400	Indian ricegrass	25
					Wyoming big sagebrush	20
					Needleandthread	15
					Bottlebrush squirreltail	10
					Sandberg bluegrass	5