

# Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5448:						
Jaybee	---	500	350	---	Sagebrush Sandberg bluegrass Bottlebrush squirreltail Desert needlegrass Indian ricegrass Thurber needlegrass	35 10 5 5 5 5
Old Camp	---	600	450	300	Desert needlegrass Wyoming big sagebrush Bottlebrush squirreltail Green ephedra Douglas rabbitbrush Spiny hopsage Thurber needlegrass	25 15 10 10 5 5 5
Bombadil	---	800	600	400	Thurber needlegrass Wyoming big sagebrush Webber ricegrass Sandberg bluegrass	30 20 10 5
Oppio	---	500	350	200	Sagebrush Bottlebrush squirreltail Sandberg bluegrass Desert needlegrass Indian ricegrass Thurber needlegrass	35 10 10 5 5 5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5448:						
Skedaddle	---	300	200	150	Purple sage	20
					Antelope bitterbrush	10
					Desert needlegrass	10
					Green ephedra	10
					Bottlebrush squirreltail	5
					Littleleaf horsebrush	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Wyoming big sagebrush	5
Reywat	---	900	700	500	Bluebunch wheatgrass	50
					Mountain big sagebrush	10
					Wyoming big sagebrush	10
					Basin wildrye	5
Rock outcrop	---	---	---	---	---	---
Bombadil	---	800	600	400	Thurber needlegrass	30
					Wyoming big sagebrush	20
					Webber ricegrass	10
					Sandberg bluegrass	5
Pickup	---	500	400	300	Bluebunch wheatgrass	50
					Sagebrush	15
					Thurber needlegrass	10

## Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5448:						<i>Pct</i>
Theon	---	350	200	50	Shadscale	15
					Bailey greasewood	10
					Bud sagebrush	10
					Desert needlegrass	10
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Winterfat	5
Corral	---	800	600	400	Thurber needlegrass	30
					Big sagebrush	15
					Webber ricegrass	10
					Basin wildrye	5
Fulstone	---	500	350	200	Sagebrush	25
					Bluegrass	10
					Bottlebrush squirreltail	5
					Desert needlegrass	5
					Thurber needlegrass	5
Jetster	---	500	350	200	Sagebrush	35
					Sandberg bluegrass	10
					Bottlebrush squirreltail	5
					Desert needlegrass	5
					Thurber needlegrass	5

## Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5448:						
Manogue	---	500	350	200	Sagebrush	35
					Needlegrass	10
					Sandberg bluegrass	10
					Bottlebrush squirreltail	5
					Indian ricegrass	5
Verdico	---	400	300	200	Thurber needlegrass	30
					Low sagebrush	15
					Bottlebrush squirreltail	5
					Canby bluegrass	5
					Littleleaf horsebrush	5
					Sandberg bluegrass	5