

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5449:						
Wylo	---	600	450	300	Bluebunch wheatgrass Sagebrush Thurber needlegrass Bluegrass Tapertip hawksbeard	50 15 10 5 5
Pickup	---	500	400	300	Bluebunch wheatgrass Sagebrush Thurber needlegrass	50 15 10
Tunnison	---	900	700	500	Bottlebrush squirreltail Western wheatgrass Big sagebrush Creeping wildrye Littleleaf horsebrush Rubber rabbitbrush Thurber needlegrass	25 15 10 10 10 10 10
Devada	---	900	700	500	Bluebunch wheatgrass Low sagebrush Thurber needlegrass Bluegrass	30 20 15 10
Bucklake	---	900	700	500	Bluebunch wheatgrass Mountain big sagebrush Thurber needlegrass Canby bluegrass Green ephedra	50 15 15 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5449:						<i>Pct</i>
Jaybee	---	500	350	---	Sagebrush Sandberg bluegrass Bottlebrush squirreltail Desert needlegrass Indian ricegrass Thurber needlegrass	35 10 5 5 5 5
Devada	---	900	700	500	Bluebunch wheatgrass Low sagebrush Thurber needlegrass Bluegrass	30 20 15 10
Rock outcrop	---	---	---	---	---	---
Bombadil	---	800	600	400	Thurber needlegrass Wyoming big sagebrush Webber ricegrass Sandberg bluegrass	30 20 10 5
Reywat	---	900	700	500	Bluebunch wheatgrass Mountain big sagebrush Wyoming big sagebrush Basin wildrye	50 10 10 5
Reywat	---	900	700	500	Bluebunch wheatgrass Mountain big sagebrush Wyoming big sagebrush Basin wildrye	50 10 10 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5449:						
Tunnison	---	900	700	500	Bottlebrush squirreltail Western wheatgrass Big sagebrush Creeping wildrye Littleleaf horsebrush Rubber rabbitbrush Thurber needlegrass	25 15 10 10 10 10 10
Brubeck	---	900	700	500	Bottlebrush squirreltail Western wheatgrass Creeping wildrye Littleleaf horsebrush Rubber rabbitbrush Thurber needlegrass Big sagebrush	25 15 10 10 10 10 5
Chalco	---	400	300	200	Low sagebrush Thurber needlegrass Bottlebrush squirreltail Bluegrass	25 25 15 10
Corral	---	900	700	500	Bluebunch wheatgrass Big sagebrush Thurber needlegrass	50 15 15
Longcreek	---	900	700	500	Bluebunch wheatgrass Mountain big sagebrush Thurber needlegrass Antelope bitterbrush Basin wildrye	40 15 15 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s5449: Verdico	---	600	450	300	Bluebunch wheatgrass Sagebrush Thurber needlegrass Sandberg bluegrass	50 15 10 5