

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s5460:						
Berit	---	350	250	150	Bluebunch wheatgrass Common pricklygilia Desert snowberry Mountain big sagebrush Purple sage Rubber rabbitbrush	5 5 5 5 5 5
Rock outcrop	---	---	---	---	---	---
Squawal	---	2,200	1,800	1,500	Mountain brome Needlegrass Mountain big sagebrush Basin wildrye Snowberry	30 20 15 5 5
Ernbet	---	1,200	900	700	Bluebunch wheatgrass Mountain big sagebrush Basin wildrye Bottlebrush squirreltail Rabbitbrush Thurber needlegrass	40 15 10 5 5 5
Berit	---	350	250	150	Bluebunch wheatgrass Common pricklygilia Desert snowberry Mountain big sagebrush Purple sage Rubber rabbitbrush	5 5 5 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5460:						
Deanran	---	350	250	150	Antelope bitterbrush Bluebunch wheatgrass Bottlebrush squirreltail Currant Desert snowberry Idaho fescue Low sagebrush Mountain big sagebrush Sandberg bluegrass	5 5 5 5 5 5 5 5 5
Granipeak	---	1,100	800	700	Bluebunch wheatgrass Mountain big sagebrush Basin wildrye Bluegrass Bush oceanspray Saskatoon serviceberry	40 20 10 5 5 5
Anaud	---	800	600	400	Bluebunch wheatgrass Black sagebrush Indian ricegrass Muttongrass Stansbury cliffrose	35 30 10 5 5
Noslo	---	700	600	400	Bluebunch wheatgrass Big sagebrush Sagebrush Thurber needlegrass Basin wildrye	50 15 15 10 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5460:						
Wagore	---	1,700	1,300	1,000	Bluebunch wheatgrass	30
					Basin wildrye	15
					Mountain big sagebrush	15
					Needlegrass	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
Earcree	---	2,000	1,600	1,200	Idaho fescue	25
					Bluebunch wheatgrass	20
					Arrowleaf balsamroot	10
					Basin big sagebrush	10
					Bluegrass	10
					Antelope bitterbrush	5
					Lupine	5
					Other perennial forbs	5
Greenbrae	---	1,100	800	600	Bluebunch wheatgrass	30
					Big sagebrush	20
					Basin wildrye	10
					Thurber needlegrass	10
					Antelope bitterbrush	5
					Bottlebrush squirreltail	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s5460: Hastee	---	1,800	1,500	1,200	Common snowberry	15
					Mountain big sagebrush	15
					Mountain brome	15
					Basin wildrye	10
					Needlegrass	10
					Blue wildrye	5
					Bluebells	5
					Rock oniongrass	5