

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5462:						
Ceejay	---	500	350	200	Sagebrush Bluegrass Needlegrass Bottlebrush squirreltail Indian ricegrass	30 15 10 5 5
Bombadil	---	800	600	400	Thurber needlegrass Wyoming big sagebrush Webber ricegrass Sandberg bluegrass	30 20 10 5
Pickup	---	500	400	300	Bluebunch wheatgrass Sagebrush Thurber needlegrass	50 15 10
Jaybee	---	500	350	---	Sagebrush Sandberg bluegrass Bottlebrush squirreltail Desert needlegrass Indian ricegrass Thurber needlegrass	35 10 5 5 5 5
Reywat	---	900	700	500	Bluebunch wheatgrass Mountain big sagebrush Wyoming big sagebrush Basin wildrye	50 10 10 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5462:						
Ceejay	---	500	350	200	Sagebrush Bluegrass Needlegrass Bottlebrush squirreltail Indian ricegrass	30 15 10 5 5
Wylo	---	600	450	300	Bluebunch wheatgrass Sagebrush Thurber needlegrass Bluegrass Tapertip hawksbeard	50 15 10 5 5
Bombadil	---	800	600	400	Thurber needlegrass Wyoming big sagebrush Webber ricegrass Sandberg bluegrass	30 20 10 5
Bucklake	---	900	700	500	Bluebunch wheatgrass Mountain big sagebrush Thurber needlegrass Canby bluegrass Green ephedra	50 15 15 5 5
Corral	---	800	600	400	Thurber needlegrass Wyoming big sagebrush Indian ricegrass Webber ricegrass	30 25 10 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5462:						
Manogue	---	500	350	200	Sagebrush	35
					Needlegrass	10
					Sandberg bluegrass	10
					Bottlebrush squirreltail	5
					Indian ricegrass	5
Old Camp	---	600	450	300	Desert needlegrass	25
					Wyoming big sagebrush	15
					Bottlebrush squirreltail	10
					Green ephedra	10
					Douglas rabbitbrush	5
					Spiny hopsage	5
					Thurber needlegrass	5
Oppio	---	500	350	200	Sagebrush	35
					Bottlebrush squirreltail	10
					Sandberg bluegrass	10
					Desert needlegrass	5
					Indian ricegrass	5
					Thurber needlegrass	5
Ister	---	900	700	500	Bluebunch wheatgrass	50
					Big sagebrush	20
					Thurber needlegrass	15
					Antelope bitterbrush	5
					Basin wildrye	5
					Green ephedra	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5462: Reywat	---	900	700	500	Bluebunch wheatgrass Mountain big sagebrush Wyoming big sagebrush Basin wildrye	50 10 10 5