

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5466:						
Sieroclipf	---	700	400	200	Black sagebrush	30
					Galleta	20
					Bud sagebrush	10
					Desert needlegrass	10
					Indian ricegrass	10
					Nevada ephedra	5
					Winterfat	5
Sanpete	---	800	600	400	Indian ricegrass	30
					Needleandthread	20
					Wyoming big sagebrush	20
					Bottlebrush squirreltail	10
					Douglas rabbitbrush	5
					Sandberg bluegrass	5
Unsel	---	350	250	100	Shadscale	20
					Galleta	15
					Bud sagebrush	10
					Indian ricegrass	10
					Winterfat	10
					Bailey greasewood	5
					Bottlebrush squirreltail	5
					Desert needlegrass	5
					Fourwing saltbush	5
					Nevada ephedra	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5466:						
Ursine	---	700	400	200	Black sagebrush Indian ricegrass Bud sagebrush Desert needlegrass Galleta Winterfat	25 10 5 5 5 5
Armespan	---	700	400	200	Black sagebrush Galleta Indian ricegrass Bud sagebrush Nevada ephedra Winterfat Bottlebrush squirreltail Needlegrass	25 10 10 5 5 5 2 1
Belcher	---	450	350	175	Fourwing saltbush Bud sagebrush Galleta Indian ricegrass Winterfat Anderson wolfberry Desert needlegrass Littleleaf horsebrush Nevada dalea Nevada ephedra Shadscale Spiny hopsage	15 10 10 10 10 5 5 5 5 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5466: Geer	---	400	250	100	Winterfat Fourwing saltbush Indian ricegrass Bud sagebrush Desert needlegrass Galleta	30 15 10 5 5 5
Lien	---	800	400	250	Black sagebrush Indian ricegrass Needleandthread Bluebunch wheatgrass Sandberg bluegrass Winterfat	25 15 10 5 5 5
Sanpete	---	800	400	250	Black sagebrush Indian ricegrass Needleandthread Winterfat Basin wildrye Bluebunch wheatgrass Sandberg bluegrass	30 15 10 10 5 5 5
Ursine	---	800	400	250	Black sagebrush Indian ricegrass Needleandthread Basin wildrye Bluebunch wheatgrass Bud sagebrush Small rabbitbrush Winterfat	25 10 10 5 5 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5466: Veet	---	900	600	300	Indian ricegrass Wyoming big sagebrush Spiny hopsage Bottlebrush squirreltail Bud sagebrush Desert needlegrass Galleta Needleandthread Nevada ephedra Winterfat	20 20 10 5 5 5 5 5 5 5