

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5467:						
Mazuma	---	600	450	300	Shadscale Black greasewood Bottlebrush squirreltail Seepweed Bud sagebrush	40 25 10 10 5
Ragtown	---	400	200	50	Black greasewood Inland saltgrass Shadscale Alkali sacaton Basin wildrye Bottlebrush squirreltail Other perennial forbs Seepweed	50 10 10 5 5 5 5 5
Mazuma	---	400	275	175	Black greasewood Inland saltgrass Shadscale Alkali sacaton Basin wildrye Bottlebrush squirreltail Seepweed	60 10 10 5 5 5 5
Mazuma	---	700	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass Winterfat	35 25 10 10 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5467:						
Swingler	---	650	450	300	Shadscale Black greasewood Bottlebrush squirreltail Bud sagebrush Seepweed	40 25 10 10 5
Swingler	---	500	400	300	Indian ricegrass Black greasewood Needleandthread Winterfat	50 15 15 10
Trocken	---	700	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass Spiny hopsage	35 25 10 10 5 5
Playas	---	---	---	---	---	---
Trocken	---	700	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass Spiny hopsage	35 25 10 10 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5467:						
Trocken	---	700	450	300	Shadscale	35
					Bud sagebrush	25
					Bottlebrush squirreltail	10
					Indian ricegrass	10
					Sandberg bluegrass	5
					Spiny hopsage	5
Smaug	---	400	300	200	Winterfat	50
					Indian ricegrass	25
					Bud sagebrush	10
					Other perennial forbs	5
					Other perennial grasses	5
					Shadscale	5
Dun Glen	---	700	450	300	Shadscale	35
					Bud sagebrush	25
					Indian ricegrass	10
					Bottlebrush squirreltail	5
					Sandberg bluegrass	5
					Spiny hopsage	5
Isolde	---	500	300	150	Black greasewood	40
					Indian ricegrass	25
					Fourwing saltbush	5
					Shadscale	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s5467: Veta	---	600	450	300	Wyoming big sagebrush Spiny hopsage Desert needlegrass Indian ricegrass Bottlebrush squirreltail Thurber needlegrass	30 20 10 10 5 5
Haybourne	---	600	450	300	Wyoming big sagebrush Spiny hopsage Desert needlegrass Indian ricegrass Bottlebrush squirreltail	30 20 10 10 5