

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s5473:						
Disabel	---	600	500	400	Basin wildrye	30
					Basin big sagebrush	25
					Douglas rabbitbrush	10
					Other perennial forbs	10
					Bottlebrush squirreltail	5
					Nevada bluegrass	5
					Other perennial grasses	5
					Other shrubs	5
					Sedge	5
Boulder Lake	---	800	500	300	Silver sagebrush	35
					Nevada bluegrass	30
					Creeping wildrye	10
					Bottlebrush squirreltail	5
					Mat muhly	5
					Rush	5
					Sedge	5
Cutz	---	1,000	750	500	Black greasewood	30
					Basin wildrye	20
					Inland saltgrass	10
					Shadscale	10
					Alkali sacaton	5
					Bottlebrush squirreltail	5
					Bud sagebrush	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5473:						<i>Pct</i>
Couch	---	1,000	800	500	Black greasewood	20
					Basin big sagebrush	15
					Alkali sacaton	10
					Basin wildrye	10
					Bottlebrush squirreltail	5
					Fourwing saltbush	5
					Inland saltgrass	5
					Nevada bluegrass	5
					Spiny hopsage	5
Disabel	---	1,000	750	500	Black greasewood	35
					Basin wildrye	15
					Inland saltgrass	10
					Other shrubs	10
					Alkali sacaton	5
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Other perennial grasses	5
					Shadscale	5
Crutcher	---	1,000	750	500	Black greasewood	30
					Basin wildrye	15
					Inland saltgrass	10
					Alkali sacaton	5
					Bottlebrush squirreltail	5
					Shadscale	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5473: McConnel	---	500	400	300	Wyoming big sagebrush Bottlebrush squirreltail Indian ricegrass Basin wildrye Sandberg bluegrass Spiny hopsage Thurber needlegrass Webber ricegrass	35 10 10 5 5 5 5 5