

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5481:						
lzar	---	900	700	400	Black sagebrush Indian ricegrass Needleandthread Bluebunch wheatgrass Douglas rabbitbrush Winterfat	25 25 10 5 5 5
Wiffo	---	800	600	400	Indian ricegrass Wyoming big sagebrush Needleandthread Bottlebrush squirreltail Sandberg bluegrass	25 20 15 10 5
Wrango	---	900	700	400	Black sagebrush Indian ricegrass Basin wildrye Bud sagebrush Needleandthread Winterfat Galleta	25 20 5 5 5 5 2
Zadvar	---	700	500	250	Black sagebrush Galleta Indian ricegrass Winterfat	30 10 10 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5481:						
Armespan	---	700	400	200	Black sagebrush	25
					Galleta	10
					Indian ricegrass	10
					Bud sagebrush	5
					Nevada ephedra	5
					Winterfat	5
					Bottlebrush squirreltail	2
					Needlegrass	1
Breko	---	800	500	300	Wyoming big sagebrush	20
					Galleta	10
					Desert needlegrass	5
					Fourwing saltbush	5
					Indian ricegrass	5
					Nevada ephedra	5
					Spiny hopsage	5
Handpah	---	800	500	300	Wyoming big sagebrush	20
					Galleta	10
					Indian ricegrass	10
					Bottlebrush squirreltail	5
					Desert needlegrass	5
					Fourwing saltbush	5
					Spiny hopsage	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5481:						
Sanpete	---	800	400	250	Black sagebrush Indian ricegrass Needleandthread Winterfat Basin wildrye Bluebunch wheatgrass Sandberg bluegrass	30 15 10 10 5 5 5
Sanpete	---	800	600	400	Indian ricegrass Needleandthread Wyoming big sagebrush Bottlebrush squirreltail Douglas rabbitbrush Sandberg bluegrass	30 20 20 10 5 5
Ursine	---	700	400	200	Black sagebrush Indian ricegrass Bud sagebrush Desert needlegrass Galleta Winterfat	25 10 5 5 5 5
Lien	---	800	400	250	Black sagebrush Indian ricegrass Needleandthread Bluebunch wheatgrass Sandberg bluegrass Winterfat	25 15 10 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5481: Lusetti	---	800	550	300	Winterfat Indian ricegrass Bottlebrush squirreltail Bud sagebrush Fourwing saltbush Needleandthread	40 15 5 2 2 2